

Package: PLNmodels (via r-universe)

September 11, 2024

Title Poisson Lognormal Models

Version 1.2.1

Description The Poisson-lognormal model and variants (Chiquet, Mariadassou and Robin, 2021 <[doi:10.3389/fevo.2021.588292](https://doi.org/10.3389/fevo.2021.588292)>) can be used for a variety of multivariate problems when count data are at play, including principal component analysis for count data, discriminant analysis, model-based clustering and network inference. Implements variational algorithms to fit such models accompanied with a set of functions for visualization and diagnostic.

URL <https://pln-team.github.io/PLNmodels/>

BugReports <https://github.com/pln-team/PLNmodels/issues>

License GPL (>= 3)

Depends R (>= 3.6)

Imports cli, corrrplot, dplyr, future, future.apply, ggplot2, glassoFast, grDevices, grid, gridExtra, igraph, magrittr, MASS, Matrix, methods, nloptr, parallel, pscl, purrr, R6, Rcpp, rlang, scales, stats, tidyr, torch

Suggests factoextra, knitr, rmarkdown, spelling, testthat

LinkingTo nloptr, Rcpp, RcppArmadillo

VignetteBuilder knitr

Encoding UTF-8

Language en-US

LazyData true

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.2

Collate 'PLNfit-class.R' 'PLN.R' 'PLNLDA.R' 'PLNLDAfit-S3methods.R' 'PLNLDAfit-class.R' 'PLNPCA.R' 'PLNPCAfamily-S3methods.R' 'PLNfamily-class.R' 'PLNPCAfamily-class.R' 'PLNPCAfit-S3methods.R' 'PLNPCAfit-class.R'

'PLNfamily-S3methods.R' 'PLNfit-S3methods.R' 'PLNmixture.R'
 'PLNmixturefamily-S3methods.R' 'PLNmixturefamily-class.R'
 'PLNmixturefit-S3methods.R' 'PLNmixturefit-class.R'
 'PLNmodels-package.R' 'PLNnetwork.R'
 'PLNnetworkfamily-S3methods.R' 'PLNnetworkfamily-class.R'
 'PLNnetworkfit-S3methods.R' 'PLNnetworkfit-class.R'
 'RcppExports.R' 'ZIPLNfit-class.R' 'ZIPLN.R'
 'ZIPLNfit-S3methods.R' 'ZIPLNnetwork.R' 'barents.R'
 'import_utils.R' 'mollusk.R' 'oaks.R' 'plot_utils.R' 'scRNA.R'
 'trichoptera.R' 'utils-pipe.R' 'utils-zipln.R' 'utils.R'
 'zzz.R'

Repository <https://pln-team.r-universe.dev>

RemoteUrl <https://github.com/pln-team/plnmodels>

RemoteRef HEAD

RemoteSha 40d5d360bbf0f05fef376aa8d1da6e5859cff25b

Contents

barents	4
coef.PLNfit	4
coef.PLNLDAfit	5
coef.PLNmixturefit	6
coef.ZIPLNfit	7
coefficient_path	8
compute_offset	8
compute_PLN_starting_point	10
extract_probs	11
fitted.PLNfit	12
fitted.PLNmixturefit	13
fitted.ZIPLNfit	13
getBestModel.PLNPCAfamily	14
getModel.PLNPCAfamily	15
mollusk	16
Networkfamily	17
oaks	20
PLN	21
PLNfamily	22
PLNfit	24
PLNfit_diagonal	29
PLNfit_fixedcov	32
PLNfit_spherical	34
PLNLDA	35
PLNLDAfit	37
PLNLDAfit_diagonal	41
PLNLDA_param	43
PLNmixture	45

PLNmixturefamily 46

PLNmixturefit 49

PLNmixture_param 53

PLNnetwork 54

PLNnetworkfamily 55

PLNnetworkfit 56

PLNnetwork_param 59

PLNPCA 60

PLNPCAfamily 61

PLNPCAfit 64

PLNPCA_param 70

PLN_param 72

plot.Networkfamily 74

plot.PLNfamily 76

plot.PLNLDAfit 77

plot.PLMixturefamily 78

plot.PLMixturefit 79

plot.PLNnetworkfit 80

plot.PLNPCAfamily 81

plot.PLNPCAfit 82

plot.ZIPLNfit_sparse 84

predict.PLNfit 85

predict.PLNLDAfit 86

predict.PLMixturefit 87

predict.ZIPLNfit 88

predict_cond 89

prepare_data 90

rPLN 92

scRNA 93

sigma.PLNfit 94

sigma.PLMixturefit 95

sigma.ZIPLNfit 96

stability_selection 96

standard_error.PLNPCAfit 97

trichoptera 99

vcov.PLNfit 100

ZIPLN 101

ZIPLNfit 103

ZIPLNfit_diagonal 107

ZIPLNfit_fixed 108

ZIPLNfit_sparse 109

ZIPLNfit_spherical 111

ZIPLNnetwork 112

ZIPLNnetworkfamily 114

ZIPLNnetwork_param 115

ZIPLN_param 117

barents	<i>Barents fish data set</i>
---------	------------------------------

Description

This data set gives the abundance of 30 fish species observed in 89 sites in the Barents sea. For each site, 4 additional covariates are known. Subsample of the original datasets studied by Fossheim et al, 2006.

Usage

```
barents
```

Format

A data frame with 6 variables:

- Abundance: A 30 fish species by 89 sites count matrix
- Offset: A 30 fish species by 89 samples offset matrix, measuring the sampling effort in each site
- 4 covariates for latitude, longitude, depth (in meters), temperature (in Celsius degrees).

Source

Data from M. Fossheim and coauthors.

References

Fossheim, Maria, Einar M. Nilssen, and Michaela Aschan. "Fish assemblages in the Barents Sea." *Marine Biology Research* 2.4 (2006). doi:[10.1080/17451000600815698](https://doi.org/10.1080/17451000600815698)

Examples

```
data(barents)
```

coef.PLNfit	<i>Extract model coefficients</i>
-------------	-----------------------------------

Description

Extracts model coefficients from objects returned by `PLN()` and its variants

Usage

```
## S3 method for class 'PLNfit'  
coef(object, type = c("main", "covariance"), ...)
```

Arguments

object an R6 object with class `PLNfit`

type type of parameter that should be extracted. Either "main" (default) for

B

 or "covariance" for

Σ

... additional parameters for S3 compatibility. Not used

Value

A matrix of coefficients extracted from the `PLNfit` model.

See Also

`sigma.PLNfit()`, `vcov.PLNfit()`, `standard_error.PLNfit()`

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPLN <- PLN(Abundance ~ 1 + offset(log(Offset)), data = trichoptera)
coef(myPLN) ## B
coef(myPLN, type = "covariance") ## Sigma
```

`coef.PLNLDAfit` *Extracts model coefficients from objects returned by `PLNLDA()`*

Description

The method for objects returned by `PLNLDA()` only returns coefficients associated to the

$$\Theta$$

part of the model (see the `PLNLDA` vignette for mathematical details).

Usage

```
## S3 method for class 'PLNLDAfit'
coef(object, ...)
```

Arguments

object an R6 object with class `PLNLDAfit`

... additional parameters for S3 compatibility. Not used

Value

Either NULL or a matrix of coefficients extracted from the PLNLDAfit model.

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPLNLDA <- PLNLDA(Abundance ~ Wind, grouping = Group, data = trichoptera)
coef(myPLNLDA)
```

coef.PLNmixturefit *Extract model coefficients*

Description

Extracts model coefficients from objects returned by [PLN\(\)](#) and its variants

Usage

```
## S3 method for class 'PLNmixturefit'
coef(object, type = c("main", "means", "covariance", "mixture"), ...)
```

Arguments

object	an R6 object with class PLNmixturefit
type	type of parameter that should be extracted. Either "main" (default) for Θ , "means" for μ , "mixture" for π or "covariance" for Σ
...	additional parameters for S3 compatibility. Not used

Value

A matrix of coefficients extracted from the PLNfit model.

See Also

[sigma.PLNmixturefit\(\)](#)

Examples

```

data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPLN <- PLNmixture(Abundance ~ 1 + offset(log(Offset)),
  data = trichoptera, control = PLNmixture_param(smoothing = "none")) %>% getBestModel()
coef(myPLN) ## Theta - empty here
coef(myPLN, type = "mixture") ## pi
coef(myPLN, type = "means") ## mu
coef(myPLN, type = "covariance") ## Sigma

```

coef.ZIPLNfit	<i>Extract model coefficients</i>
---------------	-----------------------------------

Description

Extracts model coefficients from objects returned by [ZIPLN\(\)](#) and its variants

Usage

```

## S3 method for class 'ZIPLNfit'
coef(object, type = c("count", "zero", "precision", "covariance"), ...)

```

Arguments

object	an R6 object with class ZIPLNfit
type	type of parameter that should be extracted. Either "count" (default) for B , "zero" for B_0 , "precision" for Ω , "covariance" for Σ
...	additional parameters for S3 compatibility. Not used

Value

A matrix of coefficients extracted from the ZIPLNfit model.

See Also

[sigma.ZIPLNfit\(\)](#)

Examples

```

data(scRNA)
# data subsample: only 100 random cell and the 50 most varying transcript
subset <- sample.int(nrow(scRNA), 100)
myPLN <- ZIPLN(counts[, 1:50] ~ 1 + offset(log(total_counts)), subset = subset, data = scRNA)

```

coefficient_path	<i>Extract the regularization path of a PLNnetwork fit</i>
------------------	--

Description

Extract the regularization path of a PLNnetwork fit

Usage

```
coefficient_path(Robject, precision = TRUE, corr = TRUE)
```

Arguments

Robject	an object with class <code>Networkfamily</code> , i.e. an output from <code>PLNnetwork()</code>
precision	a logical, should the coefficients of the precision matrix Omega or the covariance matrix Sigma be sent back. Default is TRUE.
corr	a logical, should the correlation (partial in case <code>precision = TRUE</code>) be sent back. Default is TRUE.

Value

Sends back a tibble/data.frame.

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
fits <- PLNnetwork(Abundance ~ 1, data = trichoptera)
head(coefficient_path(fits))
```

compute_offset	<i>Compute offsets from a count data using one of several normalization schemes</i>
----------------	---

Description

Computes offsets from the count table using one of several normalization schemes (TSS, CSS, RLE, GMPR, Wrench, TMM, etc) described in the literature.

Usage

```
compute_offset(
  counts,
  offset = c("TSS", "GMPR", "RLE", "CSS", "Wrench", "TMM", "none"),
  scale = c("none", "count"),
  ...
)
```


Arguments

counts	Required. An abundance count table, preferably with dimensions names and species as columns.
offset	Optional. Normalization scheme used to compute scaling factors used as offset during PLN inference. Available schemes are "TSS" (Total Sum Scaling, default), "CSS" (Cumulative Sum Scaling, used in metagenomeSeq), "RLE" (Relative Log Expression, used in DESeq2), "GMPR" (Geometric Mean of Pairwise Ratio, introduced in Chen et al., 2018), Wrench (introduced in Kumar et al., 2018) or "none". Alternatively the user can supply its own vector or matrix of offsets (see note for specification of the user-supplied offsets).
scale	Either "none" (default) or "count". Should the offset be normalized to be on the same scale as the counts ?
...	Additional parameters passed on to specific methods (for now CSS and RLE)

Details

RLE has additional pseudocounts and type arguments to add pseudocounts to the observed counts (defaults to 0L) and to compute offsets using only positive counts (if `type == "poscounts"`). This mimics the behavior of `DESeq2::DESeq()` when using `sfType == "poscounts"`. CSS has an additional reference argument to choose the location function used to compute the reference quantiles (defaults to median as in the Nature publication but can be set to mean to reproduce behavior of functions `cumNormStat*` from metagenomeSeq). Wrench has two additional parameters: `groups` to specify sample groups and `type` to either reproduce exactly the default `Wrench::wrench()` behavior (`type = "wrench"`, default) or to use simpler heuristics (`type = "simple"`). Note that (i) CSS normalization fails when the median absolute deviation around quantiles does not become instable for high quantiles (limited count variations both within and across samples) and/or one sample has less than two positive counts, (ii) RLE fails when there are no common species across all samples (unless `type == "poscounts"` has been specified) and (iii) GMPR fails if a sample does not share any species with all other samples. TMM code between two libraries is simplified and adapted from M. Robinson (`edgeR:::calcFactorTMM`). The final output is however different from the one produced by `edgeR:::calcFactorTMM` as they are intended to be used as such in the model (whereas they need to be multiplied by sequencing depths in `edgeR`)

Value

If `offset = "none"`, NULL else a vector of length `nrow(counts)` with one offset per sample.

References

- Chen, L., Reeve, J., Zhang, L., Huang, S., Wang, X. and Chen, J. (2018) GMPR: A robust normalization method for zero-inflated count data with application to microbiome sequencing data. *PeerJ*, 6, e4600 [doi:10.7717/peerj.4600](https://doi.org/10.7717/peerj.4600)
- Paulson, J. N., Colin Stine, O., Bravo, H. C. and Pop, M. (2013) Differential abundance analysis for microbial marker-gene surveys. *Nature Methods*, 10, 1200-1202 [doi:10.1038/nmeth.2658](https://doi.org/10.1038/nmeth.2658)
- Anders, S. and Huber, W. (2010) Differential expression analysis for sequence count data. *Genome Biology*, 11, R106 [doi:10.1186/gb20101110r106](https://doi.org/10.1186/gb20101110r106)

Kumar, M., Slud, E., Okrah, K. et al. (2018) Analysis and correction of compositional bias in sparse sequencing count data. BMC Genomics 19, 799 doi:10.1186/s1286401851605

Robinson, M.D., Oshlack, A. (2010) A scaling normalization method for differential expression analysis of RNA-seq data. Genome Biol 11, R25 doi:10.1186/gb2010113r25

Examples

```
data(trichoptera)
counts <- trichoptera$Abundance
compute_offset(counts)
## Other normalization schemes
compute_offset(counts, offset = "RLE", pseudocounts = 1)
compute_offset(counts, offset = "Wrench", groups = trichoptera$Covariate$Group)
compute_offset(counts, offset = "GMPR")
compute_offset(counts, offset = "TMM")
## User supplied offsets
my_offset <- setNames(rep(1, nrow(counts)), rownames(counts))
compute_offset(counts, offset = my_offset)
```

```
compute_PLN_starting_point
```

Helper function for PLN initialization.

Description

Barebone function to compute starting points for B, M and S when fitting a PLN. Mostly intended for internal use.

Usage

```
compute_PLN_starting_point(Y, X, O, w, s = 0.1)
```

Arguments

Y	Response count matrix
X	Covariate matrix
O	Offset matrix (in log-scale)
w	Weight vector (defaults to 1)
s	Scale parameter for S (defaults to 0.1)

Details

The default strategy to estimate B and M is to fit a linear model with covariates X to the response count matrix (after adding a pseudocount of 1, scaling by the offset and taking the log). The regression matrix is used to initialize B and the residuals to initialize M. S is initialized as a constant conformable matrix with value s.

Value

a named list of starting values for model parameter B and variational parameters M and S used in the iterative optimization algorithm of `PLN()`

Examples

```
## Not run:
data(barents)
Y <- barents$Abundance
X <- model.matrix(Abundance ~ Latitude + Longitude + Depth + Temperature, data = barents)
O <- log(barents$Offset)
w <-- rep(1, nrow(Y))
compute_PLN_starting_point(Y, X, O, w)

## End(Not run)
```

extract_probs

Extract edge selection frequency in bootstrap subsamples

Description

Extracts edge selection frequency in networks reconstructed from bootstrap subsamples during the stars stability selection procedure, as either a matrix or a named vector. In the latter case, edge names follow igraph naming convention.

Usage

```
extract_probs(
  Robject,
  penalty = NULL,
  index = NULL,
  crit = c("StARS", "BIC", "EBIC"),
  format = c("matrix", "vector"),
  tol = 1e-05
)
```

Arguments

<code>Robject</code>	an object with class <code>PLNnetworkfamily</code> , i.e. an output from <code>PLNnetwork()</code>
<code>penalty</code>	penalty used for the bootstrap subsamples
<code>index</code>	Integer index of the model to be returned. Only the first value is taken into account.
<code>crit</code>	a character for the criterion used to performed the selection. Either "BIC", "ICL", "EBIC", "StARS", "R_squared". Default is ICL for PLNPCA, and BIC for PLNnetwork. If StARS (Stability Approach to Regularization Selection) is chosen and stability selection was not yet performed, the function will call the method <code>stability_selection()</code> with default argument.

format output format. Either a matrix (default) or a named vector.
tol tolerance for rounding error when comparing penalties.

Value

Either a matrix or named vector of edge-wise probabilities. In the latter case, edge names follow igraph convention.

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
nets <- PLNnetwork(Abundance ~ 1 + offset(log(Offset)), data = trichoptera)
## Not run:
stability_selection(nets)
probs <- extract_probs(nets, crit = "StARS", format = "vector")
probs

## End(Not run)

## Not run:
## Add edge attributes to graph using igraph
net_stars <- getBestModel(nets, "StARS")
g <- plot(net_stars, type = "partial_cor", plot=F)
library(igraph)
E(g)$prob <- probs[as_ids(E(g))]
g

## End(Not run)
```

fitted.PLNfit	<i>Extracts model fitted values from objects returned by PLN() and its variants</i>
---------------	---

Description

Extracts model fitted values from objects returned by [PLN\(\)](#) and its variants

Usage

```
## S3 method for class 'PLNfit'
fitted(object, ...)
```

Arguments

object an R6 object with class [PLNfit](#)
... additional parameters for S3 compatibility. Not used

Value

A matrix of Fitted values extracted from the object object.

fitted.PLNmixturefit *Extracts model fitted values from objects returned by [PLNmixture\(\)](#) and its variants*

Description

Extracts model fitted values from objects returned by [PLNmixture\(\)](#) and its variants

Usage

```
## S3 method for class 'PLNmixturefit'
fitted(object, ...)
```

Arguments

object an R6 object with class [PLNmixturefit](#)
 ... additional parameters for S3 compatibility. Not used

Value

A matrix of Fitted values extracted from the object object.

fitted.ZIPLNfit *Extracts model fitted values from objects returned by [ZIPLN\(\)](#) and its variants*

Description

Extracts model fitted values from objects returned by [ZIPLN\(\)](#) and its variants

Usage

```
## S3 method for class 'ZIPLNfit'
fitted(object, ...)
```

Arguments

object an R6 object with class [ZIPLNfit](#)
 ... additional parameters for S3 compatibility. Not used

Value

A matrix of Fitted values extracted from the object object.

```
getBestModel.PLNPCAfamily
```

Best model extraction from a collection of models

Description

Best model extraction from a collection of models

Usage

```
## S3 method for class 'PLNPCAfamily'
getBestModel(Robject, crit = c("ICL", "BIC"), ...)

getBestModel(Robject, crit, ...)

## S3 method for class 'PLNmixturefamily'
getBestModel(Robject, crit = c("ICL", "BIC"), ...)

## S3 method for class 'Networkfamily'
getBestModel(Robject, crit = c("BIC", "EBIC", "StARS"), ...)

## S3 method for class 'PLNnetworkfamily'
getBestModel(Robject, crit = c("BIC", "EBIC", "StARS"), ...)

## S3 method for class 'ZIPLNnetworkfamily'
getBestModel(Robject, crit = c("BIC", "EBIC", "StARS"), ...)
```

Arguments

<code>Robject</code>	an object with class <code>PLNPCAfamily</code> or <code>PLNnetworkfamily</code>
<code>crit</code>	a character for the criterion used to performed the selection. Either "BIC", "ICL", "EBIC", "StARS", "R_squared". Default is ICL for PLNPCA, and BIC for PLNnetwork. If StARS (Stability Approach to Regularization Selection) is chosen and stability selection was not yet performed, the function will call the method <code>stability_selection()</code> with default argument.
<code>...</code>	additional parameters for StARS criterion (only for PLNnetwork). <code>stability</code> , a scalar indicating the target stability (= 1 - 2 beta) at which the network is selected. Default is 0.9.

Value

Send back an object with class `PLNPCAfit` or `PLNnetworkfit`

Methods (by class)

- `getBestModel(PLNPCAfamily)`: Model extraction for `PLNPCAfamily`

- `getBestModel(PLNmixturefamily)`: Model extraction for [PLNmixturefamily](#)
- `getBestModel(Networkfamily)`: Model extraction for [PLNnetworkfamily](#) or [ZIPLNnetworkfamily](#)
- `getBestModel(PLNnetworkfamily)`: Model extraction for [PLNnetworkfamily](#)
- `getBestModel(ZIPLNnetworkfamily)`: Model extraction for [ZIPLNnetworkfamily](#)

Examples

```
## Not run:
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPCA <- PLNPCA(Abundance ~ 1 + offset(log(Offset)), data = trichoptera, ranks = 1:4)
myModel <- getBestModel(myPCA)

## End(Not run)
```

`getModel.PLNPCAfamily` *Model extraction from a collection of models*

Description

Model extraction from a collection of models

Usage

```
## S3 method for class 'PLNPCAfamily'
getModel(Robject, var, index = NULL)

getModel(Robject, var, index)

## S3 method for class 'PLNmixturefamily'
getModel(Robject, var, index = NULL)

## S3 method for class 'Networkfamily'
getModel(Robject, var, index = NULL)

## S3 method for class 'PLNnetworkfamily'
getModel(Robject, var, index = NULL)

## S3 method for class 'ZIPLNnetworkfamily'
getModel(Robject, var, index = NULL)
```

Arguments

<code>Robject</code>	an R6 object with class PLNPCAfamily or PLNnetworkfamily
<code>var</code>	value of the parameter (rank for PLNPCA, sparsity for PLNnetwork) that identifies the model to be extracted from the collection. If no exact match is found, the model with closest parameter value is returned with a warning.
<code>index</code>	Integer index of the model to be returned. Only the first value is taken into account.

Value

Sends back an object with class `PLNPCAfit` or `PLNnetworkfit`.

Methods (by class)

- `getModel(PLNPCAfamily)`: Model extraction for `PLNPCAfamily`
- `getModel(PLNmixturefamily)`: Model extraction for `PLNmixturefamily`
- `getModel(Networkfamily)`: Model extraction for `PLNnetworkfamily` or `ZIPLNnetworkfamily`
- `getModel(PLNnetworkfamily)`: Model extraction for `PLNnetworkfamily`
- `getModel(ZIPLNnetworkfamily)`: Model extraction for `ZIPLNnetworkfamily`

Examples

```
## Not run:
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPCA <- PLNPCA(Abundance ~ 1 + offset(log(Offset)), data = trichoptera, ranks = 1:5)
myModel <- getModel(myPCA, 2)

## End(Not run)
```

mollusk

Mollusk data set

Description

This data set gives the abundance of 32 mollusk species in 163 samples. For each sample, 4 additional covariates are known.

Usage

```
mollusk
```

Format

A list with 2 two data frames:

Abundance a 163 x 32 data frame of abundancies/counts (163 samples and 32 mollusk species)

Covariate a 163 x 4 data frame of covariates:

site a factor with 8 levels indicating the sampling site

season a factor with 4 levels indicating the season

method a factor with 2 levels for the method of sampling - wood or string

duration a numeric with 3 levels for the time of exposure in week

In order to prepare the data for using formula in multivariate analysis (multiple outputs and inputs), use `prepare_data()`. Original data set has been extracted from ade4.

Source

Data from Richardot-Coulet, Chessel and Bournaud.

References

Richardot-Coulet, M., Chessel D. and Bournaud M. (1986) Typological value of the benthos of old beds of a large river. Methodological approach. Archiv für Hydrobiologie, 107, 363–383.

See Also

[prepare_data\(\)](#)

Examples

```
data(mollusk)
mollusc <- prepare_data(mollusk$Abundance, mollusk$Covariate)
```

Networkfamily

An R6 Class to virtually represent a collection of network fits

Description

The functions [PLNetwork\(\)](#) and [ZIPLNetwork\(\)](#) both produce an instance of this class, which can be thought of as a vector of [PLNetworkfits](#) [ZIPLNfit_sparses](#) (indexed by penalty parameter)

This class comes with a set of methods mostly used to compare network fits (in terms of goodness of fit) or extract one from the family (based on penalty parameter and/or goodness of it). See the documentation for [getBestModel\(\)](#), [getModel\(\)](#) and [plot\(\)](#) for the user-facing ones.

Super class

[PLNmodels::PLNfamily](#) -> Networkfamily

Active bindings

`penalties` the sparsity level of the network in the successively fitted models

`stability_path` the stability path of each edge as returned by the stars procedure

`stability` mean edge stability along the penalty path

`criteria` a data frame with the values of some criteria (variational log-likelihood, (E)BIC, ICL and R2, stability) for the collection of models / fits BIC, ICL and EBIC are defined so that they are on the same scale as the model log-likelihood, i.e. with the form, $\text{loglik} - 0.5 \text{penalty}$

Methods

Public methods:

- [Networkfamily\\$new\(\)](#)
- [Networkfamily\\$optimize\(\)](#)
- [Networkfamily\\$coefficient_path\(\)](#)
- [Networkfamily\\$getBestModel\(\)](#)
- [Networkfamily\\$plot\(\)](#)
- [Networkfamily\\$plot_stars\(\)](#)
- [Networkfamily\\$plot_objective\(\)](#)
- [Networkfamily\\$show\(\)](#)
- [Networkfamily\\$clone\(\)](#)

Method `new()`: Initialize all models in the collection

Usage:

```
Networkfamily$new(penalties, data, control)
```

Arguments:

`penalties` a vector of positive real number controlling the level of sparsity of the underlying network.

`data` a named list used internally to carry the data matrices

`control` a list for controlling the optimization.

Returns: Update all network fits in the family with smart starting values

Method `optimize()`: Call to the C++ optimizer on all models of the collection

Usage:

```
Networkfamily$optimize(data, config)
```

Arguments:

`data` a named list used internally to carry the data matrices

`config` a list for controlling the optimization.

Method `coefficient_path()`: Extract the regularization path of a [Networkfamily](#)

Usage:

```
Networkfamily$coefficient_path(precision = TRUE, corr = TRUE)
```

Arguments:

`precision` Logical. Should the regularization path be extracted from the precision matrix Omega (TRUE, default) or from the variance matrix Sigma (FALSE)

`corr` Logical. Should the matrix be transformed to (partial) correlation matrix before extraction? Defaults to TRUE

Method `getBestModel()`: Extract the best network in the family according to some criteria

Usage:

```
Networkfamily$getBestModel(crit = c("BIC", "EBIC", "StARS"), stability = 0.9)
```

Arguments:

crit character. Criterion used to perform the selection. If "StARS" is chosen but \$stability field is empty, will compute stability path.

stability Only used for "StARS" criterion. A scalar indicating the target stability (= 1 - 2 beta) at which the network is selected. Default is 0.9.

Details: For BIC and EBIC criteria, higher is better.

Method plot(): Display various outputs (goodness-of-fit criteria, robustness, diagnostic) associated with a collection of network fits (a [Networkfamily](#))

Usage:

```
Networkfamily$plot(
  criteria = c("loglik", "pen_loglik", "BIC", "EBIC"),
  reverse = FALSE,
  log.x = TRUE
)
```

Arguments:

criteria vector of characters. The criteria to plot in c("loglik", "pen_loglik", "BIC", "EBIC"). Defaults to all of them.

reverse A logical indicating whether to plot the value of the criteria in the "natural" direction (loglik - 0.5 penalty) or in the "reverse" direction (-2 loglik + penalty). Default to FALSE, i.e use the natural direction, on the same scale as the log-likelihood.

log.x logical: should the x-axis be represented in log-scale? Default is TRUE.

Returns: a [ggplot](#) graph

Method plot_stars(): Plot stability path

Usage:

```
Networkfamily$plot_stars(stability = 0.9, log.x = TRUE)
```

Arguments:

stability scalar: the targeted level of stability using stability selection. Default is 0.9.

log.x logical: should the x-axis be represented in log-scale? Default is TRUE.

Returns: a [ggplot](#) graph

Method plot_objective(): Plot objective value of the optimization problem along the penalty path

Usage:

```
Networkfamily$plot_objective()
```

Returns: a [ggplot](#) graph

Method show(): User friendly print method

Usage:

```
Networkfamily$show()
```

Method clone(): The objects of this class are cloneable with this method.

Usage:

```
Networkfamily$clone(deep = FALSE)
```

Arguments:

deep Whether to make a deep clone.

See Also

The functions [PLNnetwork\(\)](#), [ZIPLNnetwork\(\)](#) and the classes [PLNnetworkfit](#), [ZIPLNfit_sparse](#)

oaks

Oaks amplicon data set

Description

This data set gives the abundance of 114 taxa (66 bacterial OTU, 48 fungal OTUs) in 116 samples. For each sample, 11 additional covariates are known.

Usage

oaks

Format

A data frame with 13 variables:

- Abundance: A 114 taxa by 116 samples count matrix
- Offset: A 114 taxa by 116 samples offset matrix
- Sample: Unique sample id
- tree: Tree status with respect to the pathogen (susceptible, intermediate or resistant)
- branch: Unique branch id in each tree (4 branches were sampled in each tree, with 10 leaves per branch)
- leafNO: Unique leaf id in each tree (40 leaves were sampled in each tree)
- distTObase: Distance of the sampled leaf to the base of the branch
- distTOTrunk: Distance of the sampled leaf to the base of the tree trunk
- distTOground: Distance of the sampled leaf to the base of the ground
- pmInfection: Powdery mildew infection, proportion of the upper leaf area displaying mildew symptoms
- orientation: Orientation of the branch (South-West SW or North-East NE)
- readsTOTfun: Total number of ITS1 reads for that leaf
- readsTOTbac: Total number of 16S reads for that leaf

Source

Data from B. Jakuschkin and coauthors.

References

Jakuschkin, B., Fievet, V., Schwaller, L. et al. Deciphering the Pathobiome: Intra- and Interkingdom Interactions Involving the Pathogen *Erysiphe alphitoides*. *Microb Ecol* 72, 870–880 (2016). [doi:10.1007/s002480160777x](https://doi.org/10.1007/s002480160777x)

See Also

[prepare_data\(\)](#)

Examples

```
data(oaks)
## Not run:
oaks_networks <- PLNnetwork(formula = Abundance ~ 1 + offset(log(Offset)), data = oaks)

## End(Not run)
```

 PLN

Poisson lognormal model

Description

Fit the multivariate Poisson lognormal model with a variational algorithm. Use the (g)lm syntax for model specification (covariates, offsets, weights).

Usage

```
PLN(formula, data, subset, weights, control = PLN_param())
```

Arguments

formula	an object of class "formula": a symbolic description of the model to be fitted.
data	an optional data frame, list or environment (or object coercible by <code>as.data.frame</code> to a data frame) containing the variables in the model. If not found in data, the variables are taken from <code>environment(formula)</code> , typically the environment from which PLN is called.
subset	an optional vector specifying a subset of observations to be used in the fitting process.
weights	an optional vector of observation weights to be used in the fitting process.
control	a list-like structure for controlling the optimization, with default generated by PLN_param() . See the associated documentation for details.

Value

an R6 object with class [PLNfit](#)

See Also

The class [PLNfit](#) and the configuration function [PLN_param\(\)](#)

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPLN <- PLN(Abundance ~ 1, data = trichoptera)
```

 PLNfamily

 An R6 Class to represent a collection of PLNfit

Description

super class for [PLNPCAfamily](#) and [PLNnetworkfamily](#).

Public fields

`responses` the matrix of responses common to every models
`covariates` the matrix of covariates common to every models
`offsets` the matrix of offsets common to every models
`weights` the vector of observation weights
`inception` a [PLNfit](#) object, obtained when no sparsifying penalty is applied.
`models` a list of [PLNfit](#) object, one per penalty.

Active bindings

`criteria` a data frame with the values of some criteria (approximated log-likelihood, BIC, ICL, etc.) for the collection of models / fits BIC and ICL are defined so that they are on the same scale as the model log-likelihood, i.e. with the form, $\text{loglik} - 0.5 \text{ penalty}$
`convergence` sends back a data frame with some convergence diagnostics associated with the optimization process (method, optimal value, etc)

Methods

Public methods:

- [PLNfamily\\$new\(\)](#)
- [PLNfamily\\$postTreatment\(\)](#)
- [PLNfamily\\$getModel\(\)](#)
- [PLNfamily\\$plot\(\)](#)
- [PLNfamily\\$show\(\)](#)
- [PLNfamily\\$print\(\)](#)
- [PLNfamily\\$clone\(\)](#)

Method `new()`: Create a new [PLNfamily](#) object.

Usage:

```
PLNfamily$new(responses, covariates, offsets, weights, control)
```

Arguments:

`responses` the matrix of responses common to every models
`covariates` the matrix of covariates common to every models
`offsets` the matrix of offsets common to every models
`weights` the vector of observation weights

control list controlling the optimization and the model

Returns: A new [PLNfamily](#) object

Method `postTreatment()`: Update fields after optimization

Usage:

```
PLNfamily$postTreatment(config_post, config_optim)
```

Arguments:

`config_post` a list for controlling the post-treatments (optional bootstrap, jackknife, R2, etc.).

`config_optim` a list for controlling the optimization parameters used during post_treatments

Method `getModel()`: Extract a model from a collection of models

Usage:

```
PLNfamily$getModel(var, index = NULL)
```

Arguments:

`var` value of the parameter (rank for PLNPCA, sparsity for PLNnetwork) that identifies the model to be extracted from the collection. If no exact match is found, the model with closest parameter value is returned with a warning.

`index` Integer index of the model to be returned. Only the first value is taken into account.

Returns: A [PLNfit](#) object

Method `plot()`: Lineplot of selected criteria for all models in the collection

Usage:

```
PLNfamily$plot(criteria, reverse)
```

Arguments:

`criteria` A valid model selection criteria for the collection of models. Includes loglik, BIC (all), ICL (PLNPCA) and pen_loglik, EBIC (PLNnetwork)

`reverse` A logical indicating whether to plot the value of the criteria in the "natural" direction (loglik - penalty) or in the "reverse" direction (-2 loglik + penalty). Default to FALSE, i.e. use the natural direction, on the same scale as the log-likelihood.

Returns: A [ggplot2](#) object

Method `show()`: User friendly print method

Usage:

```
PLNfamily$show()
```

Method `print()`: User friendly print method

Usage:

```
PLNfamily$print()
```

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
PLNfamily$clone(deep = FALSE)
```

Arguments:

`deep` Whether to make a deep clone.

See Also[getModel\(\)](#)

PLNfit

*An R6 Class to represent a PLNfit in a standard, general framework***Description**

The function [PLN\(\)](#) fit a model which is an instance of a object with class [PLNfit](#). Objects produced by the functions [PLNnetwork\(\)](#), [PLNPCA\(\)](#), [PLNmixture\(\)](#) and [PLNLDA\(\)](#) also enjoy the methods of [PLNfit\(\)](#) by inheritance.

This class comes with a set of R6 methods, some of them being useful for the user and exported as S3 methods. See the documentation for [coef\(\)](#), [sigma\(\)](#), [predict\(\)](#), [vcov\(\)](#) and [standard_error\(\)](#).

Fields are accessed via active binding and cannot be changed by the user.

Active bindings

`n` number of samples

`q` number of dimensions of the latent space

`p` number of species

`d` number of covariates

`nb_param` number of parameters in the current PLN model

`model_par` a list with the matrices of the model parameters: `B` (covariates), `Sigma` (covariance), `Omega` (precision matrix), plus some others depending on the variant

`var_par` a list with the matrices of the variational parameters: `M` (means) and `S2` (variances)

`optim_par` a list with parameters useful for monitoring the optimization

`latent` a matrix: values of the latent vector (`Z` in the model)

`latent_pos` a matrix: values of the latent position vector (`Z`) without covariates effects or offset

`fitted` a matrix: fitted values of the observations (`A` in the model)

`vcov_coef` matrix of sandwich estimator of the variance-covariance of `B` (need fixed -ie known-covariance at the moment)

`vcov_model` character: the model used for the residual covariance

`weights` observational weights

`loglik` (weighted) variational lower bound of the loglikelihood

`loglik_vec` element-wise variational lower bound of the loglikelihood

`BIC` variational lower bound of the BIC

`entropy` Entropy of the variational distribution

`ICL` variational lower bound of the ICL

`R_squared` approximated goodness-of-fit criterion

`criteria` a vector with `loglik`, `BIC`, `ICL` and number of parameters

Methods

Public methods:

- `PLNfit$new()`
- `PLNfit$update()`
- `PLNfit$optimize()`
- `PLNfit$optimize_vestep()`
- `PLNfit$postTreatment()`
- `PLNfit$predict()`
- `PLNfit$predict_cond()`
- `PLNfit$show()`
- `PLNfit$print()`
- `PLNfit$clone()`

Method `new()`: Initialize a `PLNfit` model

Usage:

```
PLNfit$new(responses, covariates, offsets, weights, formula, control)
```

Arguments:

`responses` the matrix of responses (called Y in the model). Will usually be extracted from the corresponding field in `PLNfamily`-class

`covariates` design matrix (called X in the model). Will usually be extracted from the corresponding field in `PLNfamily`-class

`offsets` offset matrix (called O in the model). Will usually be extracted from the corresponding field in `PLNfamily`-class

`weights` an optional vector of observation weights to be used in the fitting process.

`formula` model formula used for fitting, extracted from the formula in the upper-level call

`control` a list-like structure for controlling the fit, see `PLN_param()`.

Method `update()`: Update a `PLNfit` object

Usage:

```
PLNfit$update(
  B = NA,
  Sigma = NA,
  Omega = NA,
  M = NA,
  S = NA,
  Ji = NA,
  R2 = NA,
  Z = NA,
  A = NA,
  monitoring = NA
)
```

Arguments:

`B` matrix of regression matrix

`Sigma` variance-covariance matrix of the latent variables

Omega precision matrix of the latent variables. Inverse of Sigma.
 M matrix of variational parameters for the mean
 S matrix of variational parameters for the variance
 Ji vector of variational lower bounds of the log-likelihoods (one value per sample)
 R2 approximate R^2 goodness-of-fit criterion
 Z matrix of latent vectors (includes covariates and offset effects)
 A matrix of fitted values
 monitoring a list with optimization monitoring quantities
Returns: Update the current `PLNfit` object

Method `optimize()`: Call to the NLOpt or TORCH optimizer and update of the relevant fields

Usage:

```
PLNfit$optimize(responses, covariates, offsets, weights, config)
```

Arguments:

responses the matrix of responses (called Y in the model). Will usually be extracted from the corresponding field in `PLNfamily-class`
 covariates design matrix (called X in the model). Will usually be extracted from the corresponding field in `PLNfamily-class`
 offsets offset matrix (called O in the model). Will usually be extracted from the corresponding field in `PLNfamily-class`
 weights an optional vector of observation weights to be used in the fitting process.
 config part of the control argument which configures the optimizer

Method `optimize_vestep()`: Result of one call to the VE step of the optimization procedure: optimal variational parameters (M, S) and corresponding log likelihood values for fixed model parameters (Sigma, B). Intended to position new data in the latent space.

Usage:

```

PLNfit$optimize_vestep(
  covariates,
  offsets,
  responses,
  weights,
  B = self$model_par$B,
  Omega = self$model_par$Omega,
  control = PLN_param(backend = "nlopt")
)

```

Arguments:

covariates design matrix (called X in the model). Will usually be extracted from the corresponding field in `PLNfamily-class`
 offsets offset matrix (called O in the model). Will usually be extracted from the corresponding field in `PLNfamily-class`
 responses the matrix of responses (called Y in the model). Will usually be extracted from the corresponding field in `PLNfamily-class`
 weights an optional vector of observation weights to be used in the fitting process.

B Optional fixed value of the regression parameters

Omega precision matrix of the latent variables. Inverse of Sigma.

control a list-like structure for controlling the fit, see `PLN_param()`.

Sigma variance-covariance matrix of the latent variables

Returns: A list with three components:

- the matrix M of variational means,
- the matrix S2 of variational variances
- the vector `log.lik` of (variational) log-likelihood of each new observation

Method `postTreatment()`: Update R2, fisher and `std_err` fields after optimization

Usage:

```
PLNfit$postTreatment(
  responses,
  covariates,
  offsets,
  weights = rep(1, nrow(responses)),
  config_post,
  config_optim,
  nullModel = NULL
)
```

Arguments:

`responses` the matrix of responses (called Y in the model). Will usually be extracted from the corresponding field in PLNfamily-class

`covariates` design matrix (called X in the model). Will usually be extracted from the corresponding field in PLNfamily-class

`offsets` offset matrix (called O in the model). Will usually be extracted from the corresponding field in PLNfamily-class

`weights` an optional vector of observation weights to be used in the fitting process.

`config_post` a list for controlling the post-treatments (optional bootstrap, jackknife, R2, etc.). See details

`config_optim` a list for controlling the optimization (optional bootstrap, jackknife, R2, etc.). See details

`nullModel` null model used for approximate R2 computations. Defaults to a GLM model with same design matrix but not latent variable.

Details: The list of parameters `config` controls the post-treatment processing, with the following entries:

- `jackknife` boolean indicating whether jackknife should be performed to evaluate bias and variance of the model parameters. Default is FALSE.
- `bootstrap` integer indicating the number of bootstrap resamples generated to evaluate the variance of the model parameters. Default is 0 (inactivated).
- `variational_var` boolean indicating whether variational Fisher information matrix should be computed to estimate the variance of the model parameters (highly underestimated). Default is FALSE.
- `rsquared` boolean indicating whether approximation of R2 based on deviance should be computed. Default is TRUE

- trace integer for verbosity. should be > 1 to see output in post-treatments

Method `predict()`: Predict position, scores or observations of new data.

Usage:

```
PLNfit$predict(
  newdata,
  responses = NULL,
  type = c("link", "response"),
  level = 1,
  envir = parent.frame()
)
```

Arguments:

`newdata` A data frame in which to look for variables with which to predict. If omitted, the fitted values are used.

`responses` Optional data frame containing the count of the observed variables (matching the names of the provided as data in the PLN function), assuming the interest in in testing the model.

`type` Scale used for the prediction. Either `link` (default, predicted positions in the latent space) or `response` (predicted counts).

`level` Optional integer value the level to be used in obtaining the predictions. Level zero corresponds to the population predictions (default if `responses` is not provided) while level one (default) corresponds to predictions after evaluating the variational parameters for the new data.

`envir` Environment in which the prediction is evaluated

Details: Note that `level = 1` can only be used if `responses` are provided, as the variational parameters can't be estimated otherwise. In the absence of `responses`, `level` is ignored and the fitted values are returned

Returns: A matrix with predictions scores or counts.

Method `predict_cond()`: Predict position, scores or observations of new data, conditionally on the observation of a (set of) variables

Usage:

```
PLNfit$predict_cond(
  newdata,
  cond_responses,
  type = c("link", "response"),
  var_par = FALSE,
  envir = parent.frame()
)
```

Arguments:

`newdata` a data frame containing the covariates of the sites where to predict

`cond_responses` a data frame containing the count of the observed variables (matching the names of the provided as data in the PLN function)

`type` Scale used for the prediction. Either `link` (default, predicted positions in the latent space) or `response` (predicted counts).

`var_par` Boolean. Should new estimations of the variational parameters of mean and variance be sent back, as attributes of the matrix of predictions. Default to FALSE.

`envir` Environment in which the prediction is evaluated

Returns: A matrix with predictions scores or counts.

Method `show()`: User friendly print method

Usage:

```
PLNfit$show(
  model = paste("A multivariate Poisson Lognormal fit with", self$vcov_model,
    "covariance model.\n")
)
```

Arguments:

`model` First line of the print output

Method `print()`: User friendly print method

Usage:

```
PLNfit$print()
```

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
PLNfit$clone(deep = FALSE)
```

Arguments:

`deep` Whether to make a deep clone.

Examples

```
## Not run:
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPLN <- PLN(Abundance ~ 1, data = trichoptera)
class(myPLN)
print(myPLN)

## End(Not run)
```

PLNfit_diagonal

An R6 Class to represent a PLNfit in a standard, general framework, with diagonal residual covariance

Description

The function `PLNLDA()` produces an instance of an object with class `PLNLDAfit`.

This class comes with a set of methods, some of them being useful for the user: See the documentation for the methods inherited by `PLNfit()`, the `plot()` method for LDA visualization and `predict()` method for prediction

Super class

`PLNmodels::PLNfit` -> `PLNfit_diagonal`

Active bindings

`nb_param` number of parameters in the current PLN model

`vcov_model` character: the model used for the residual covariance

Methods**Public methods:**

- `PLNfit_diagonal$new()`
- `PLNfit_diagonal$clone()`

Method `new()`: Initialize a `PLNfit` model

Usage:

`PLNfit_diagonal$new(responses, covariates, offsets, weights, formula, control)`

Arguments:

`responses` the matrix of responses (called Y in the model). Will usually be extracted from the corresponding field in `PLNfamily`-class

`covariates` design matrix (called X in the model). Will usually be extracted from the corresponding field in `PLNfamily`-class

`offsets` offset matrix (called O in the model). Will usually be extracted from the corresponding field in `PLNfamily`-class

`weights` an optional vector of observation weights to be used in the fitting process.

`formula` model formula used for fitting, extracted from the formula in the upper-level call

`control` a list for controlling the optimization. See details.

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

`PLNfit_diagonal$clone(deep = FALSE)`

Arguments:

`deep` Whether to make a deep clone.

Super classes

`PLNmodels::PLNfit` -> `PLNmodels::PLNLDAfit` -> `PLNLDAfit_spherical`

Active bindings

`vcov_model` character: the model used for the residual covariance

`nb_param` number of parameters in the current PLN model

Methods

Public methods:

- `PLNLDAfit_spherical$new()`
- `PLNLDAfit_spherical$clone()`

Method `new()`: Initialize a `PLNfit` model

Usage:

```
PLNLDAfit_spherical$new(
  grouping,
  responses,
  covariates,
  offsets,
  weights,
  formula,
  control
)
```

Arguments:

`grouping` a factor specifying the class of each observation used for discriminant analysis.

`responses` the matrix of responses (called Y in the model). Will usually be extracted from the corresponding field in `PLNfamily`-class

`covariates` design matrix (called X in the model). Will usually be extracted from the corresponding field in `PLNfamily`-class

`offsets` offset matrix (called O in the model). Will usually be extracted from the corresponding field in `PLNfamily`-class

`weights` an optional vector of observation weights to be used in the fitting process.

`formula` model formula used for fitting, extracted from the formula in the upper-level call

`control` a list for controlling the optimization. See details.

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
PLNLDAfit_spherical$clone(deep = FALSE)
```

Arguments:

`deep` Whether to make a deep clone.

Examples

```
## Not run:
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPLN <- PLN(Abundance ~ 1, data = trichoptera)
class(myPLN)
print(myPLN)

## End(Not run)
## Not run:
data(trichoptera)
```

```

trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPLNLDA <- PLNLDA(Abundance ~ 1, data = trichoptera, control = PLN_param(covariance = "spherical"))
class(myPLNLDA)
print(myPLNLDA)

## End(Not run)

```

PLNfit_fixedcov	<i>An R6 Class to represent a PLNfit in a standard, general framework, with fixed (inverse) residual covariance</i>
-----------------	---

Description

An R6 Class to represent a PLNfit in a standard, general framework, with fixed (inverse) residual covariance

An R6 Class to represent a PLNfit in a standard, general framework, with fixed (inverse) residual covariance

Super class

[PLNmodels::PLNfit](#) -> PLNfit_fixedcov

Active bindings

`nb_param` number of parameters in the current PLN model

`vcov_model` character: the model used for the residual covariance

`vcov_coef` matrix of sandwich estimator of the variance-covariance of B (needs known covariance at the moment)

Methods

Public methods:

- [PLNfit_fixedcov\\$new\(\)](#)
- [PLNfit_fixedcov\\$optimize\(\)](#)
- [PLNfit_fixedcov\\$postTreatment\(\)](#)
- [PLNfit_fixedcov\\$clone\(\)](#)

Method `new()`: Initialize a [PLNfit](#) model

Usage:

`PLNfit_fixedcov$new(responses, covariates, offsets, weights, formula, control)`

Arguments:

`responses` the matrix of responses (called Y in the model). Will usually be extracted from the corresponding field in PLNfamily-class

`covariates` design matrix (called X in the model). Will usually be extracted from the corresponding field in PLNfamily-class

`offsets` offset matrix (called O in the model). Will usually be extracted from the corresponding field in PLNfamily-class

`weights` an optional vector of observation weights to be used in the fitting process.

`formula` model formula used for fitting, extracted from the formula in the upper-level call

`control` a list for controlling the optimization. See details.

Method `optimize()`: Call to the NLOpt or TORCH optimizer and update of the relevant fields

Usage:

```
PLNfit_fixedcov$optimize(responses, covariates, offsets, weights, config)
```

Arguments:

`responses` the matrix of responses (called Y in the model). Will usually be extracted from the corresponding field in PLNfamily-class

`covariates` design matrix (called X in the model). Will usually be extracted from the corresponding field in PLNfamily-class

`offsets` offset matrix (called O in the model). Will usually be extracted from the corresponding field in PLNfamily-class

`weights` an optional vector of observation weights to be used in the fitting process.

`config` part of the `control` argument which configures the optimizer

Method `postTreatment()`: Update R2, fisher and `std_err` fields after optimization

Usage:

```
PLNfit_fixedcov$postTreatment(
  responses,
  covariates,
  offsets,
  weights = rep(1, nrow(responses)),
  config_post,
  config_optim,
  nullModel = NULL
)
```

Arguments:

`responses` the matrix of responses (called Y in the model). Will usually be extracted from the corresponding field in PLNfamily-class

`covariates` design matrix (called X in the model). Will usually be extracted from the corresponding field in PLNfamily-class

`offsets` offset matrix (called O in the model). Will usually be extracted from the corresponding field in PLNfamily-class

`weights` an optional vector of observation weights to be used in the fitting process.

`config_post` a list for controlling the post-treatments (optional bootstrap, jackknife, R2, etc.). See details

`config_optim` a list for controlling the optimization parameter. See details

`nullModel` null model used for approximate R2 computations. Defaults to a GLM model with same design matrix but not latent variable.

Details: The list of parameters `config` controls the post-treatment processing, with the following entries:

- trace integer for verbosity. should be > 1 to see output in post-treatments
- jackknife boolean indicating whether jackknife should be performed to evaluate bias and variance of the model parameters. Default is FALSE.
- bootstrap integer indicating the number of bootstrap resamples generated to evaluate the variance of the model parameters. Default is 0 (inactivated).
- variational_var boolean indicating whether variational Fisher information matrix should be computed to estimate the variance of the model parameters (highly underestimated). Default is FALSE.
- rsquared boolean indicating whether approximation of R2 based on deviance should be computed. Default is TRUE

Method clone(): The objects of this class are cloneable with this method.

Usage:

```
PLNfit_fixedcov$clone(deep = FALSE)
```

Arguments:

deep Whether to make a deep clone.

Examples

```
## Not run:
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPLN <- PLN(Abundance ~ 1, data = trichoptera)
class(myPLN)
print(myPLN)

## End(Not run)
```

PLNfit_spherical	<i>An R6 Class to represent a PLNfit in a standard, general framework, with spherical residual covariance</i>
------------------	---

Description

An R6 Class to represent a PLNfit in a standard, general framework, with spherical residual covariance

An R6 Class to represent a PLNfit in a standard, general framework, with spherical residual covariance

Super class

```
PLNmodels::PLNfit -> PLNfit_spherical
```

Active bindings

nb_param number of parameters in the current PLN model

vcov_model character: the model used for the residual covariance

Methods

Public methods:

- `PLNfit_spherical$new()`
- `PLNfit_spherical$clone()`

Method `new()`: Initialize a `PLNfit` model

Usage:

```
PLNfit_spherical$new(responses, covariates, offsets, weights, formula, control)
```

Arguments:

`responses` the matrix of responses (called Y in the model). Will usually be extracted from the corresponding field in `PLNfamily`-class

`covariates` design matrix (called X in the model). Will usually be extracted from the corresponding field in `PLNfamily`-class

`offsets` offset matrix (called O in the model). Will usually be extracted from the corresponding field in `PLNfamily`-class

`weights` an optional vector of observation weights to be used in the fitting process.

`formula` model formula used for fitting, extracted from the formula in the upper-level call

`control` a list for controlling the optimization. See details.

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
PLNfit_spherical$clone(deep = FALSE)
```

Arguments:

`deep` Whether to make a deep clone.

Examples

```
## Not run:
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPLN <- PLN(Abundance ~ 1, data = trichoptera)
class(myPLN)
print(myPLN)

## End(Not run)
```

Description

Fit the Poisson lognormal for LDA with a variational algorithm. Use the (g)lm syntax for model specification (covariates, offsets).

Usage

```
PLNLDA(formula, data, subset, weights, grouping, control = PLN_param())
```

Arguments

formula	an object of class "formula": a symbolic description of the model to be fitted.
data	an optional data frame, list or environment (or object coercible by <code>as.data.frame</code> to a data frame) containing the variables in the model. If not found in data, the variables are taken from <code>environment(formula)</code> , typically the environment from which <code>lm</code> is called.
subset	an optional vector specifying a subset of observations to be used in the fitting process.
weights	an optional vector of observation weights to be used in the fitting process.
grouping	a factor specifying the class of each observation used for discriminant analysis.
control	a list-like structure for controlling the optimization, with default generated by <code>PLN_param()</code> . See the associated documentation

Details

The parameter `control` is a list controlling the optimization with the following entries:

- "covariance" character setting the model for the covariance matrix. Either "full" or "spherical". Default is "full".
- "trace" integer for verbosity.
- "inception" Set up the initialization. By default, the model is initialized with a multivariate linear model applied on log-transformed data. However, the user can provide a `PLNfit` (typically obtained from a previous fit), which often speed up the inference.
- "ftol_rel" stop when an optimization step changes the objective function by less than `ftol` multiplied by the absolute value of the parameter. Default is $1e-8$
- "ftol_abs" stop when an optimization step changes the objective function by less than `ftol` multiplied by the absolute value of the parameter. Default is 0
- "xtol_rel" stop when an optimization step changes every parameters by less than `xtol` multiplied by the absolute value of the parameter. Default is $1e-6$
- "xtol_abs" stop when an optimization step changes every parameters by less than `xtol` multiplied by the absolute value of the parameter. Default is 0
- "maxeval" stop when the number of iteration exceeds `maxeval`. Default is 10000
- "maxtime" stop when the optimization time (in seconds) exceeds `maxtime`. Default is -1 (no restriction)
- "algorithm" the optimization method used by `NLOPT` among LD type, i.e. "CCSAQ", "MMA", "LBFGS", "VAR1", "VAR2". See `NLOPT` documentation for further details. Default is "CCSAQ".

Value

an R6 object with class `PLNLDAfit()`

See Also

The class [PLNLDAfit](#)

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPLNLDA <- PLNLDA(Abundance ~ 1, grouping = Group, data = trichoptera)
```

PLNLDAfit

An R6 Class to represent a PLNfit in a LDA framework

Description

The function [PLNLDA\(\)](#) produces an instance of an object with class [PLNLDAfit](#).

This class comes with a set of methods, some of them being useful for the user: See the documentation for the methods inherited by [PLNfit\(\)](#), the [plot\(\)](#) method for LDA visualization and [predict\(\)](#) method for prediction

Super class

[PLNmodels::PLNfit](#) -> [PLNLDAfit](#)

Active bindings

`rank` the dimension of the current model

`nb_param` number of parameters in the current PLN model

`model_par` a list with the matrices associated with the estimated parameters of the PLN model: B (covariates), Sigma (latent covariance), C (latent loadings), P (latent position) and Mu (group means)

`percent_var` the percent of variance explained by each axis

`corr_map` a matrix of correlations to plot the correlation circles

`scores` a matrix of scores to plot the individual factor maps

`group_means` a matrix of group mean vectors in the latent space.

Methods**Public methods:**

- [PLNLDAfit\\$new\(\)](#)
- [PLNLDAfit\\$optimize\(\)](#)
- [PLNLDAfit\\$postTreatment\(\)](#)
- [PLNLDAfit\\$setVisualization\(\)](#)
- [PLNLDAfit\\$plot_individual_map\(\)](#)
- [PLNLDAfit\\$plot_correlation_map\(\)](#)

- `PLNLDAfit$plot_LDA()`
- `PLNLDAfit$predict()`
- `PLNLDAfit$show()`
- `PLNLDAfit$clone()`

Method `new()`: Initialize a `PLNLDAfit` object

Usage:

```
PLNLDAfit$new(
  grouping,
  responses,
  covariates,
  offsets,
  weights,
  formula,
  control
)
```

Arguments:

`grouping` a factor specifying the class of each observation used for discriminant analysis.

`responses` the matrix of responses (called Y in the model). Will usually be extracted from the corresponding field in `PLNfamily-class`

`covariates` design matrix (called X in the model). Will usually be extracted from the corresponding field in `PLNfamily-class`

`offsets` offset matrix (called O in the model). Will usually be extracted from the corresponding field in `PLNfamily-class`

`weights` an optional vector of observation weights to be used in the fitting process.

`formula` model formula used for fitting, extracted from the formula in the upper-level call

`control` list controlling the optimization and the model

Method `optimize()`: Compute group means and axis of the LDA (noted B in the model) in the latent space, update corresponding fields

Usage:

```
PLNLDAfit$optimize(grouping, responses, covariates, offsets, weights, config)
```

Arguments:

`grouping` a factor specifying the class of each observation used for discriminant analysis.

`responses` the matrix of responses (called Y in the model). Will usually be extracted from the corresponding field in `PLNfamily-class`

`covariates` design matrix. Automatically built from the covariates and the formula from the call

`offsets` offset matrix (called O in the model). Will usually be extracted from the corresponding field in `PLNfamily-class`

`weights` an optional vector of observation weights to be used in the fitting process.

`config` list controlling the optimization

X Abundance matrix.

Method `postTreatment()`: Update R2, fisher and `std_err` fields and visualization

Usage:

```
PLNLDAfit$postTreatment(
  grouping,
  responses,
  covariates,
  offsets,
  config_post,
  config_optim
)
```

Arguments:

grouping a factor specifying the class of each observation used for discriminant analysis.

responses the matrix of responses (called Y in the model). Will usually be extracted from the corresponding field in PLNfamily-class

covariates design matrix (called X in the model). Will usually be extracted from the corresponding field in PLNfamily-class

offsets offset matrix (called O in the model). Will usually be extracted from the corresponding field in PLNfamily-class

config_post a list for controlling the post-treatments (optional bootstrap, jackknife, R2, etc.).

config_optim list controlling the optimization parameters

Method `setVisualization()`: Compute LDA scores in the latent space and update corresponding fields.

Usage:

```
PLNLDAfit$setVisualization(scale.unit = FALSE)
```

Arguments:

scale.unit Logical. Should LDA scores be rescaled to have unit variance

Method `plot_individual_map()`: Plot the factorial map of the LDA

Usage:

```
PLNLDAfit$plot_individual_map(
  axes = 1:min(2, self$rank),
  main = "Individual Factor Map",
  plot = TRUE
)
```

Arguments:

axes numeric, the axes to use for the plot when *map* = "individual" or "variable". Default is `c(1,min(rank))`

main character. A title for the single plot (individual or variable factor map). If NULL (the default), an hopefully appropriate title will be used.

plot logical. Should the plot be displayed or sent back as ggplot object

Returns: a `ggplot` graphic

Method `plot_correlation_map()`: Plot the correlation circle of a specified axis for a `PLNLDAfit` object

Usage:

```

PLNLDAfit$plot_correlation_map(
  axes = 1:min(2, self$rank),
  main = "Variable Factor Map",
  cols = "default",
  plot = TRUE
)

```

Arguments:

`axes` numeric, the axes to use for the plot when `map = "individual"` or `"variable"`. Default is `c(1,min(rank))`

`main` character. A title for the single plot (individual or variable factor map). If `NULL` (the default), an hopefully appropriate title will be used.

`cols` a character, factor or numeric to define the color associated with the variables. By default, all variables receive the default color of the current palette.

`plot` logical. Should the plot be displayed or sent back as `ggplot` object

Returns: a `ggplot` graphic

Method `plot_LDA()`: Plot a summary of the `PLNLDAfit` object

Usage:

```

PLNLDAfit$plot_LDA(
  nb_axes = min(3, self$rank),
  var_cols = "default",
  plot = TRUE
)

```

Arguments:

`nb_axes` scalar: the number of axes to be considered when `map = "both"`. The default is `min(3,rank)`.

`var_cols` a character, factor or numeric to define the color associated with the variables. By default, all variables receive the default color of the current palette.

`plot` logical. Should the plot be displayed or sent back as `ggplot` object

Returns: a `grob` object

Method `predict()`: Predict group of new samples

Usage:

```

PLNLDAfit$predict(
  newdata,
  type = c("posterior", "response", "scores"),
  scale = c("log", "prob"),
  prior = NULL,
  control = PLN_param(backend = "nlopt"),
  envir = parent.frame()
)

```

Arguments:

`newdata` A data frame in which to look for variables, offsets and counts with which to predict.

type The type of prediction required. The default are posterior probabilities for each group (in either unnormalized log-scale or natural probabilities, see "scale" for details), "response" is the group with maximal posterior probability and "scores" is the average score along each separation axis in the latent space, with weights equal to the posterior probabilities.

scale The scale used for the posterior probability. Either log-scale ("log", default) or natural probabilities summing up to 1 ("prob").

prior User-specified prior group probabilities in the new data. If NULL (default), prior probabilities are computed from the learning set.

control a list for controlling the optimization. See [PLN\(\)](#) for details.

envir Environment in which the prediction is evaluated

Method `show()`: User friendly print method

Usage:

```
PLNLDAfit$show()
```

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
PLNLDAfit$clone(deep = FALSE)
```

Arguments:

`deep` Whether to make a deep clone.

See Also

The function [PLNLDA](#).

Examples

```
## Not run:
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPLNLDA <- PLNLDA(Abundance ~ 1, grouping = Group, data = trichoptera)
class(myPLNLDA)
print(myPLNLDA)

## End(Not run)
```

PLNLDAfit_diagonal	<i>An R6 Class to represent a PLNfit in a LDA framework with diagonal covariance</i>
--------------------	--

Description

The function [PLNLDA\(\)](#) produces an instance of an object with class [PLNLDAfit](#).

This class comes with a set of methods, some of them being useful for the user: See the documentation for the methods inherited by [PLNfit\(\)](#), the [plot\(\)](#) method for LDA visualization and [predict\(\)](#) method for prediction

Super classes

PLNmodels::PLNfit -> PLNmodels::PLNLDAfit -> PLNLDAfit_diagonal

Active bindings

vcov_model character: the model used for the residual covariance

nb_param number of parameters in the current PLN model

Methods**Public methods:**

- PLNLDAfit_diagonal\$new()
- PLNLDAfit_diagonal\$clone()

Method new(): Initialize a PLNfit model

Usage:

```
PLNLDAfit_diagonal$new(
  grouping,
  responses,
  covariates,
  offsets,
  weights,
  formula,
  control
)
```

Arguments:

grouping a factor specifying the class of each observation used for discriminant analysis.

responses the matrix of responses (called Y in the model). Will usually be extracted from the corresponding field in PLNfamily-class

covariates design matrix (called X in the model). Will usually be extracted from the corresponding field in PLNfamily-class

offsets offset matrix (called O in the model). Will usually be extracted from the corresponding field in PLNfamily-class

weights an optional vector of observation weights to be used in the fitting process.

formula model formula used for fitting, extracted from the formula in the upper-level call

control a list for controlling the optimization. See details.

Method clone(): The objects of this class are cloneable with this method.

Usage:

```
PLNLDAfit_diagonal$clone(deep = FALSE)
```

Arguments:

deep Whether to make a deep clone.

Examples

```
## Not run:
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPLNLDA <- PLNLDA(Abundance ~ 1, data = trichoptera, control = PLN_param(covariance = "diagonal"))
class(myPLNLDA)
print(myPLNLDA)

## End(Not run)
```

PLNLDA_param	<i>Control of a PLNLDA fit</i>
--------------	--------------------------------

Description

Helper to define list of parameters to control the PLNLDA fit. All arguments have defaults.

Usage

```
PLNLDA_param(
  backend = c("nlopt", "torch"),
  trace = 1,
  covariance = c("full", "diagonal", "spherical"),
  config_post = list(),
  config_optim = list(),
  inception = NULL
)
```

Arguments

backend	optimization back used, either "nlopt" or "torch". Default is "nlopt"
trace	a integer for verbosity.
covariance	character setting the model for the covariance matrix. Either "full", "diagonal" or "spherical". Default is "full".
config_post	a list for controlling the post-treatments (optional bootstrap, jackknife, R2, etc.). See details
config_optim	a list for controlling the optimizer (either "nlopt" or "torch" backend). See details
inception	Set up the parameters initialization: by default, the model is initialized with a multivariate linear model applied on log-transformed data, and with the same formula as the one provided by the user. However, the user can provide a PLNfit (typically obtained from a previous fit), which sometimes speeds up the inference.

Details

The list of parameters `config_optimizer` controls the optimizers. When "nlopt" is chosen the following entries are relevant

- "algorithm" the optimization method used by NLOPT among LD type, e.g. "CCSAQ", "MMA", "LBFGS". See NLOPT documentation for further details. Default is "CCSAQ".
- "maxeval" stop when the number of iteration exceeds maxeval. Default is 10000
- "ftol_rel" stop when an optimization step changes the objective function by less than ftol multiplied by the absolute value of the parameter. Default is 1e-8
- "xtol_rel" stop when an optimization step changes every parameters by less than xtol multiplied by the absolute value of the parameter. Default is 1e-6
- "ftol_abs" stop when an optimization step changes the objective function by less than ftol_abs. Default is 0.0 (disabled)
- "xtol_abs" stop when an optimization step changes every parameters by less than xtol_abs. Default is 0.0 (disabled)
- "maxtime" stop when the optimization time (in seconds) exceeds maxtime. Default is -1 (disabled)

When "torch" backend is used (only for PLN and PLNLDA for now), the following entries are relevant:

- "algorithm" the optimizer used by torch among RPROP (default), RMSPROP, ADAM and ADAGRAD
- "maxeval" stop when the number of iteration exceeds maxeval. Default is 10 000
- "numepoch" stop training once this number of epochs exceeds numepoch. Set to -1 to enable infinite training. Default is 1 000
- "num_batch" number of batches to use during training. Defaults to 1 (use full dataset at each epoch)
- "ftol_rel" stop when an optimization step changes the objective function by less than ftol multiplied by the absolute value of the parameter. Default is 1e-8
- "xtol_rel" stop when an optimization step changes every parameters by less than xtol multiplied by the absolute value of the parameter. Default is 1e-6
- "lr" learning rate. Default is 0.1.
- "momentum" momentum factor. Default is 0 (no momentum). Only used in RMSPROP
- "weight_decay" Weight decay penalty. Default is 0 (no decay). Not used in RPROP
- "step_sizes" pair of minimal (default: 1e-6) and maximal (default: 50) allowed step sizes. Only used in RPROP
- "etas" pair of multiplicative increase and decrease factors. Default is (0.5, 1.2). Only used in RPROP
- "centered" if TRUE, compute the centered RMSProp where the gradient is normalized by an estimation of its variance weight_decay (L2 penalty). Default to FALSE. Only used in RMSPROP

The list of parameters `config_post` controls the post-treatment processing (for most `PLN*()` functions), with the following entries (defaults may vary depending on the specific function, check `config_post_default_*` for defaults values):

- `jackknife` boolean indicating whether jackknife should be performed to evaluate bias and variance of the model parameters. Default is `FALSE`.
- `bootstrap` integer indicating the number of bootstrap resamples generated to evaluate the variance of the model parameters. Default is 0 (inactivated).
- `variational_var` boolean indicating whether variational Fisher information matrix should be computed to estimate the variance of the model parameters (highly underestimated). Default is `FALSE`.
- `sandwich_var` boolean indicating whether sandwich estimation should be used to estimate the variance of the model parameters (highly underestimated). Default is `FALSE`.
- `rsquared` boolean indicating whether approximation of R^2 based on deviance should be computed. Default is `TRUE`

Value

list of parameters configuring the fit.

PLNmixture

Poisson lognormal mixture model

Description

Fit the mixture variants of the Poisson lognormal with a variational algorithm. Use the `(g)lm` syntax for model specification (covariates, offsets).

Usage

```
PLNmixture(formula, data, subset, clusters = 1:5, control = PLNmixture_param())
```

Arguments

<code>formula</code>	an object of class "formula": a symbolic description of the model to be fitted.
<code>data</code>	an optional data frame, list or environment (or object coercible by <code>as.data.frame</code> to a data frame) containing the variables in the model. If not found in data, the variables are taken from <code>environment(formula)</code> , typically the environment from which <code>lm</code> is called.
<code>subset</code>	an optional vector specifying a subset of observations to be used in the fitting process.
<code>clusters</code>	a vector of integer containing the successive number of clusters (or components) to be considered
<code>control</code>	a list-like structure for controlling the optimization, with default generated by <code>PLNmixture_param()</code> . See the associated documentation for details.

Value

an R6 object with class [PLNmixturefamily](#), which contains a collection of models with class [PLNmixturefit](#)

See Also

The classes [PLNmixturefamily](#), [PLNmixturefit](#) and [PLNmixture_param\(\)](#)

Examples

```
## Use future to dispatch the computations on 2 workers
## Not run:
future::plan("multisession", workers = 2)

## End(Not run)

data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myMixtures <- PLNmixture(Abundance ~ 1 + offset(log(Offset)), clusters = 1:4, data = trichoptera,
                        control = PLNmixture_param(smoothing = 'none'))

# Shut down parallel workers
## Not run:
future::plan("sequential")

## End(Not run)
```

PLNmixturefamily

An R6 Class to represent a collection of PLNmixturefit

Description

The function [PLNmixture\(\)](#) produces an instance of this class.

This class comes with a set of methods, some of them being useful for the user: See the documentation for [getBestModel\(\)](#), [getModel\(\)](#) and [plot\(\)](#).

Super class

[PLNmodels::PLNfamily](#) -> [PLNmixturefamily](#)

Active bindings

`clusters` vector indicating the number of clusters considered is the successively fitted models

Methods**Public methods:**

- `PLNmixturefamily$new()`
- `PLNmixturefamily$optimize()`
- `PLNmixturefamily$smooth()`
- `PLNmixturefamily$plot()`
- `PLNmixturefamily$plot_objective()`
- `PLNmixturefamily$getBestModel()`
- `PLNmixturefamily$show()`
- `PLNmixturefamily$print()`
- `PLNmixturefamily$clone()`

Method `new()`: helper function for forward smoothing: split a group
Initialize all models in the collection.

Usage:

```
PLNmixturefamily$new(
  clusters,
  responses,
  covariates,
  offsets,
  formula,
  control
)
```

Arguments:

`clusters` the dimensions of the successively fitted models
`responses` the matrix of responses common to every models
`covariates` the matrix of covariates common to every models
`offsets` the matrix of offsets common to every models
`formula` model formula used for fitting, extracted from the formula in the upper-level call
`control` a list for controlling the optimization. See details.
`control` a list for controlling the optimization. See details.

Method `optimize()`: Call to the optimizer on all models of the collection

Usage:

```
PLNmixturefamily$optimize(config)
```

Arguments:

`config` a list for controlling the optimization

Method `smooth()`: function to restart clustering to avoid local minima by smoothing the log-likelihood values as a function of the number of clusters

Usage:

```
PLNmixturefamily$smooth(control)
```

Arguments:

control a list to control the smoothing process

Method `plot()`: Lineplot of selected criteria for all models in the collection

Usage:

```
PLNmixturefamily$plot(criteria = c("loglik", "BIC", "ICL"), reverse = FALSE)
```

Arguments:

criteria A valid model selection criteria for the collection of models. Any of "loglik", "BIC" or "ICL" (all).

reverse A logical indicating whether to plot the value of the criteria in the "natural" direction (loglik - 0.5 penalty) or in the "reverse" direction (-2 loglik + penalty). Default to FALSE, i.e use the natural direction, on the same scale as the log-likelihood..

Returns: A [ggplot2](#) object

Method `plot_objective()`: Plot objective value of the optimization problem along the penalty path

Usage:

```
PLNmixturefamily$plot_objective()
```

Returns: a [ggplot](#) graph

Method `getBestModel()`: Extract best model in the collection

Usage:

```
PLNmixturefamily$getBestModel(crit = c("BIC", "ICL", "loglik"))
```

Arguments:

crit a character for the criterion used to performed the selection. Either "BIC", "ICL" or "loglik". Default is ICL

Returns: a [PLNmixturefit](#) object

Method `show()`: User friendly print method

Usage:

```
PLNmixturefamily$show()
```

Method `print()`: User friendly print method

Usage:

```
PLNmixturefamily$print()
```

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
PLNmixturefamily$clone(deep = FALSE)
```

Arguments:

deep Whether to make a deep clone.

See Also

The function [PLNmixture](#), the class [PLNmixturefit](#)

 PLNmixturefit

 An R6 Class to represent a PLNfit in a mixture framework

Description

The function `PLNmixture` produces a collection of models which are instances of object with class `PLNmixturefit`. A `PLNmixturefit` (say, with k components) is itself a collection of k `PLNfit`.

This class comes with a set of methods, some of them being useful for the user: See the documentation for ...

Active bindings

`n` number of samples
`p` number of dimensions of the latent space
`k` number of components
`d` number of covariates
`components` components of the mixture (PLNfits)
`latent` a matrix: values of the latent vector (Z in the model)
`latent_pos` a matrix: values of the latent position vector (Z) without covariates effects or offset
`posteriorProb` matrix of posterior probability for cluster belonging
`memberships` vector for cluster index
`mixtureParam` vector of cluster proportions
`optim_par` a list with parameters useful for monitoring the optimization
`nb_param` number of parameters in the current PLN model
`entropy_clustering` Entropy of the variational distribution of the cluster (multinomial)
`entropy_latent` Entropy of the variational distribution of the latent vector (Gaussian)
`entropy` Full entropy of the variational distribution (latent vector + clustering)
`loglik` variational lower bound of the loglikelihood
`loglik_vec` element-wise variational lower bound of the loglikelihood
`BIC` variational lower bound of the BIC
`ICL` variational lower bound of the ICL (include entropy of both the clustering and latent distributions)
`R_squared` approximated goodness-of-fit criterion
`criteria` a vector with loglik, BIC, ICL, and number of parameters
`model_par` a list with the matrices of parameters found in the model (Theta, Sigma, Mu and Pi)
`vcov_model` character: the model used for the covariance (either "spherical", "diagonal" or "full")
`fitted` a matrix: fitted values of the observations (A in the model)
`group_means` a matrix of group mean vectors in the latent space.

Methods

Public methods:

- `PLNmixturefit$new()`
- `PLNmixturefit$optimize()`
- `PLNmixturefit$predict()`
- `PLNmixturefit$plot_clustering_data()`
- `PLNmixturefit$plot_clustering_pca()`
- `PLNmixturefit$postTreatment()`
- `PLNmixturefit$show()`
- `PLNmixturefit$print()`
- `PLNmixturefit$clone()`

Method `new()`: Optimize a the
Initialize a `PLNmixturefit` model

Usage:

```
PLNmixturefit$new(  
  responses,  
  covariates,  
  offsets,  
  posteriorProb,  
  formula,  
  control  
)
```

Arguments:

`responses` the matrix of responses common to every models
`covariates` the matrix of covariates common to every models
`offsets` the matrix of offsets common to every models
`posteriorProb` matrix of posterior probability for cluster belonging
`formula` model formula used for fitting, extracted from the formula in the upper-level call
`control` a list for controlling the optimization.

Method `optimize()`: Optimize a `PLNmixturefit` model

Usage:

```
PLNmixturefit$optimize(responses, covariates, offsets, config)
```

Arguments:

`responses` the matrix of responses common to every models
`covariates` the matrix of covariates common to every models
`offsets` the matrix of offsets common to every models
`config` a list for controlling the optimization

Method `predict()`: Predict group of new samples

Usage:

```

PLNmixturefit$predict(
  newdata,
  type = c("posterior", "response", "position"),
  prior = matrix(rep(1/self$k, self$k), nrow(newdata), self$k, byrow = TRUE),
  control = PLNmixture_param(),
  envir = parent.frame()
)

```

Arguments:

newdata A data frame in which to look for variables, offsets and counts with which to predict.

type The type of prediction required. The default posterior are posterior probabilities for each group, *response* is the group with maximal posterior probability and *latent* is the averaged latent coordinate (without offset and nor covariate effects), with weights equal to the posterior probabilities.

prior User-specified prior group probabilities in the new data. The default uses a uniform prior.

control a list-like structure for controlling the fit. See [PLNmixture_param\(\)](#) for details.

envir Environment in which the prediction is evaluated

Method `plot_clustering_data()`: Plot the matrix of expected mean counts (without offsets, without covariate effects) reordered according the inferred clustering

Usage:

```

PLNmixturefit$plot_clustering_data(
  main = "Expected counts reorder by clustering",
  plot = TRUE,
  log_scale = TRUE
)

```

Arguments:

main character. A title for the plot. An hopefully appropriate title will be used by default.

plot logical. Should the plot be displayed or sent back as [ggplot](#) object

log_scale logical. Should the color scale values be log-transform before plotting? Default is TRUE.

Returns: a [ggplot](#) graphic

Method `plot_clustering_pca()`: Plot the individual map of a PCA performed on the latent coordinates, where individuals are colored according to the memberships

Usage:

```

PLNmixturefit$plot_clustering_pca(
  main = "Clustering labels in Individual Factor Map",
  plot = TRUE
)

```

Arguments:

main character. A title for the plot. An hopefully appropriate title will be used by default.

plot logical. Should the plot be displayed or sent back as [ggplot](#) object

Returns: a [ggplot](#) graphic

Method `postTreatment()`: Update fields after optimization

Usage:

```
PLNmixturefit$postTreatment(  
  responses,  
  covariates,  
  offsets,  
  weights,  
  config_post,  
  config_optim,  
  nullModel  
)
```

Arguments:

`responses` the matrix of responses common to every models

`covariates` the matrix of covariates common to every models

`offsets` the matrix of offsets common to every models

`weights` an optional vector of observation weights to be used in the fitting process.

`config_post` a list for controlling the post-treatment

`config_optim` a list for controlling the optimization during the post-treatment computations

`nullModel` null model used for approximate R2 computations. Defaults to a GLM model with same design matrix but not latent variable.

Method `show()`: User friendly print method

Usage:

```
PLNmixturefit$show()
```

Method `print()`: User friendly print method

Usage:

```
PLNmixturefit$print()
```

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
PLNmixturefit$clone(deep = FALSE)
```

Arguments:

`deep` Whether to make a deep clone.

See Also

The function [PLNmixture](#), the class [PLNmixturefamily](#)

PLNmixture_param	<i>Control of a PLNmixture fit</i>
------------------	------------------------------------

Description

Helper to define list of parameters to control the PLNmixture fit. All arguments have defaults.

Usage

```
PLNmixture_param(
  backend = "nlopt",
  trace = 1,
  covariance = "spherical",
  init_cl = "kmeans",
  smoothing = "both",
  config_optim = list(),
  config_post = list(),
  inception = NULL
)
```

Arguments

backend	optimization back used, either "nlopt" or "torch". Default is "nlopt"
trace	a integer for verbosity.
covariance	character setting the model for the covariance matrices of the mixture components. Either "full", "diagonal" or "spherical". Default is "spherical".
init_cl	The initial clustering to apply. Either, 'kmeans', CAH' or a user defined clustering given as a list of clusterings, the size of which is equal to the number of clusters considered. Default is 'kmeans'.
smoothing	The smoothing to apply. Either, 'none', 'forward', 'backward' or 'both'. Default is 'both'.
config_optim	a list for controlling the optimizer (either "nlopt" or "torch" backend). See details
config_post	a list for controlling the post-treatments (optional bootstrap, jackknife, R2, etc.).
inception	Set up the parameters initialization: by default, the model is initialized with a multivariate linear model applied on log-transformed data, and with the same formula as the one provided by the user. However, the user can provide a PLNfit (typically obtained from a previous fit), which sometimes speeds up the inference.

Details

See [PLN_param\(\)](#) for a full description of the generic optimization parameters. `PLNmixture_param()` also has additional parameters controlling the optimization due the inner-outer loop structure of the optimizer:

- "ftol_out" outer solver stops when an optimization step changes the objective function by less than xtol multiplied by the absolute value of the parameter. Default is 1e-6
- "maxit_out" outer solver stops when the number of iteration exceeds maxit_out. Default is 50
- "it_smoothing" number of the iterations of the smoothing procedure. Default is 1.

Value

list of parameters configuring the fit.

See Also

[PLN_param\(\)](#)

PLNnetwork

Sparse Poisson lognormal model for network inference

Description

Perform sparse inverse covariance estimation for the Zero Inflated Poisson lognormal model using a variational algorithm. Iterate over a range of logarithmically spaced sparsity parameter values. Use the (g)lm syntax to specify the model (including covariates and offsets).

Usage

```
PLNnetwork(
  formula,
  data,
  subset,
  weights,
  penalties = NULL,
  control = PLNnetwork_param()
)
```

Arguments

formula	an object of class "formula": a symbolic description of the model to be fitted.
data	an optional data frame, list or environment (or object coercible by <code>as.data.frame</code> to a data frame) containing the variables in the model. If not found in data, the variables are taken from <code>environment(formula)</code> , typically the environment from which <code>lm</code> is called.
subset	an optional vector specifying a subset of observations to be used in the fitting process.
weights	an optional vector of observation weights to be used in the fitting process.
penalties	an optional vector of positive real number controlling the level of sparsity of the underlying network. if <code>NULL</code> (the default), will be set internally. See <code>PLNnetwork_param()</code> for additional tuning of the penalty.
control	a list-like structure for controlling the optimization, with default generated by <code>PLNnetwork_param()</code> . See the corresponding documentation for details;

Value

an R6 object with class `PLNnetworkfamily`, which contains a collection of models with class `PLNnetworkfit`

See Also

The classes `PLNnetworkfamily` and `PLNnetworkfit`, and the and the configuration function `PLNnetwork_param()`.

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
fits <- PLNnetwork(Abundance ~ 1, data = trichoptera)
```

`PLNnetworkfamily` *An R6 Class to represent a collection of `PLNnetworkfits`*

Description

The function `PLNnetwork()` produces an instance of this class.

This class comes with a set of methods mostly used to compare network fits (in terms of goodness of fit) or extract one from the family (based on penalty parameter and/or goodness of it). See the documentation for `getBestModel()`, `getModel()` and `plot()` for the user-facing ones.

Super classes

`PLNmodels::PLNfamily -> PLNmodels::Networkfamily -> PLNnetworkfamily`

Methods**Public methods:**

- `PLNnetworkfamily$new()`
- `PLNnetworkfamily$stability_selection()`
- `PLNnetworkfamily$clone()`

Method `new()`: Initialize all models in the collection

Usage:

`PLNnetworkfamily$new(penalties, data, control)`

Arguments:

`penalties` a vector of positive real number controlling the level of sparsity of the underlying network.

`data` a named list used internally to carry the data matrices

`control` a list for controlling the optimization.

Returns: Update current `PLNnetworkfit` with smart starting values

Method `stability_selection()`: Compute the stability path by stability selection

Usage:

```
PLNnetworkfamily$stability_selection(
  subsamples = NULL,
  control = PLNnetwork_param()
)
```

Arguments:

`subsamples` a list of vectors describing the subsamples. The number of vectors (or list length) determines the number of subsamples used in the stability selection. Automatically set to 20 subsamples with size $10 \cdot \sqrt{n}$ if $n \geq 144$ and $0.8 \cdot n$ otherwise following Liu et al. (2010) recommendations.

`control` a list controlling the main optimization process in each call to `PLNnetwork()`. See `PLNnetwork()` and `PLN_param()` for details.

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
PLNnetworkfamily$clone(deep = FALSE)
```

Arguments:

`deep` Whether to make a deep clone.

See Also

The function `PLNnetwork()`, the class `PLNnetworkfit`

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
fits <- PLNnetwork(Abundance ~ 1, data = trichoptera)
class(fits)
```

PLNnetworkfit	<i>An R6 Class to represent a PLNfit in a sparse inverse covariance framework</i>
---------------	---

Description

The function `PLNnetwork()` produces a collection of models which are instances of object with class `PLNnetworkfit`. This class comes with a set of methods, some of them being useful for the user: See the documentation for `plot()` and methods inherited from `PLNfit`.

Super classes

```
PLNmodels::PLNfit -> PLNmodels::PLNfit_fixedcov -> PLNnetworkfit
```


Active bindings

vcov_model character: the model used for the residual covariance
 penalty the global level of sparsity in the current model
 penalty_weights a matrix of weights controlling the amount of penalty element-wise.
 n_edges number of edges if the network (non null coefficient of the sparse precision matrix)
 nb_param number of parameters in the current PLN model
 pen_loglik variational lower bound of the l1-penalized loglikelihood
 EBIC variational lower bound of the EBIC
 density proportion of non-null edges in the network
 criteria a vector with loglik, penalized loglik, BIC, EBIC, ICL, R_squared, number of parameters, number of edges and graph density

Methods**Public methods:**

- `PLNnetworkfit$new()`
- `PLNnetworkfit$optimize()`
- `PLNnetworkfit$latent_network()`
- `PLNnetworkfit$plot_network()`
- `PLNnetworkfit$show()`
- `PLNnetworkfit$clone()`

Method `new()`: Initialize a `PLNnetworkfit` object

Usage:

`PLNnetworkfit$new(data, control)`

Arguments:

`data` a named list used internally to carry the data matrices

`control` a list for controlling the optimization.

Method `optimize()`: Call to the C++ optimizer and update of the relevant fields

Usage:

`PLNnetworkfit$optimize(data, config)`

Arguments:

`data` a named list used internally to carry the data matrices

`config` a list for controlling the optimization

Method `latent_network()`: Extract interaction network in the latent space

Usage:

`PLNnetworkfit$latent_network(type = c("partial_cor", "support", "precision"))`

Arguments:

`type` edge value in the network. Can be "support" (binary edges), "precision" (coefficient of the precision matrix) or "partial_cor" (partial correlation between species)

Returns: a square matrix of size `PLNnetworkfit$n`

Method `plot_network()`: plot the latent network.

Usage:

```
PLNnetworkfit$plot_network(
  type = c("partial_cor", "support"),
  output = c("igraph", "corrplot"),
  edge.color = c("#F8766D", "#00BFC4"),
  remove.isolated = FALSE,
  node.labels = NULL,
  layout = layout_in_circle,
  plot = TRUE
)
```

Arguments:

`type` edge value in the network. Either "precision" (coefficient of the precision matrix) or "partial_cor" (partial correlation between species).

`output` Output type. Either `igraph` (for the network) or `corrplot` (for the adjacency matrix)

`edge.color` Length 2 color vector. Color for positive/negative edges. Default is `c("#F8766D", "#00BFC4")`. Only relevant for `igraph` output.

`remove.isolated` if TRUE, isolated node are remove before plotting. Only relevant for `igraph` output.

`node.labels` vector of character. The labels of the nodes. The default will use the column names of the response matrix.

`layout` an optional `igraph` layout. Only relevant for `igraph` output.

`plot` logical. Should the final network be displayed or only sent back to the user. Default is TRUE.

Method `show()`: User friendly print method

Usage:

```
PLNnetworkfit$show()
```

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
PLNnetworkfit$clone(deep = FALSE)
```

Arguments:

`deep` Whether to make a deep clone.

See Also

The function [PLNnetwork\(\)](#), the class [PLNnetworkfamily](#)

Examples

```
## Not run:
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
```

```

nets <- PLNnetwork(Abundance ~ 1, data = trichoptera)
myPLNnet <- getBestModel(nets)
class(myPLNnet)
print(myPLNnet)

## End(Not run)

```

PLNnetwork_param *Control of PLNnetwork fit*

Description

Helper to define list of parameters to control the PLN fit. All arguments have defaults.

Usage

```

PLNnetwork_param(
  backend = c("nlopt", "torch"),
  inception_cov = c("full", "spherical", "diagonal"),
  trace = 1,
  n_penalties = 30,
  min_ratio = 0.1,
  penalize_diagonal = TRUE,
  penalty_weights = NULL,
  config_post = list(),
  config_optim = list(),
  inception = NULL
)

```

Arguments

backend	optimization back used, either "nlopt" or "torch". Default is "nlopt"
inception_cov	Covariance structure used for the inception model used to initialize the PLN-family. Defaults to "full" and can be constrained to "diagonal" and "spherical".
trace	a integer for verbosity.
n_penalties	an integer that specifies the number of values for the penalty grid when internally generated. Ignored when penalties is non NULL
min_ratio	the penalty grid ranges from the minimal value that produces a sparse to this value multiplied by min_ratio. Default is 0.1.
penalize_diagonal	boolean: should the diagonal terms be penalized in the graphical-Lasso? Default is TRUE
penalty_weights	either a single or a list of p x p matrix of weights (default: all weights equal to 1) to adapt the amount of shrinkage to each pairs of node. Must be symmetric with positive values.

<code>config_post</code>	a list for controlling the post-treatment (optional bootstrap, jackknife, R2, etc).
<code>config_optim</code>	a list for controlling the optimizer (either "nlopt" or "torch" backend). See details
<code>inception</code>	Set up the parameters initialization: by default, the model is initialized with a multivariate linear model applied on log-transformed data, and with the same formula as the one provided by the user. However, the user can provide a <code>PLNfit</code> (typically obtained from a previous fit), which sometimes speeds up the inference.

Details

See `PLN_param()` for a full description of the generic optimization parameters. `PLNnetwork_param()` also has two additional parameters controlling the optimization due the inner-outer loop structure of the optimizer:

- "ftol_out" outer solver stops when an optimization step changes the objective function by less than ftol multiplied by the absolute value of the parameter. Default is 1e-6
- "maxit_out" outer solver stops when the number of iteration exceeds maxit_out. Default is 50

Value

list of parameters configuring the fit.

See Also

[PLN_param\(\)](#)

PLNPCA

Poisson lognormal model towards Principal Component Analysis

Description

Fit the PCA variants of the Poisson lognormal with a variational algorithm. Use the (g)lm syntax for model specification (covariates, offsets).

Usage

```
PLNPCA(formula, data, subset, weights, ranks = 1:5, control = PLNPCA_param())
```

Arguments

<code>formula</code>	an object of class "formula": a symbolic description of the model to be fitted.
<code>data</code>	an optional data frame, list or environment (or object coercible by <code>as.data.frame</code> to a data frame) containing the variables in the model. If not found in data, the variables are taken from <code>environment(formula)</code> , typically the environment from which <code>lm</code> is called.

subset	an optional vector specifying a subset of observations to be used in the fitting process.
weights	an optional vector of observation weights to be used in the fitting process.
ranks	a vector of integer containing the successive ranks (or number of axes to be considered)
control	a list-like structure for controlling the optimization, with default generated by <code>PLNPCA_param()</code> . See the associated documentation. for details.

Value

an R6 object with class `PLNPCAfamily`, which contains a collection of models with class `PLNPCAfit`

See Also

The classes `PLNPCAfamily` and `PLNPCAfit`, and the configuration function `PLNPCA_param()`.

Examples

```

#' ## Use future to dispatch the computations on 2 workers
## Not run:
future::plan("multisession", workers = 2)

## End(Not run)

data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPCA <- PLNPCA(Abundance ~ 1 + offset(log(Offset)), data = trichoptera, ranks = 1:5)

# Shut down parallel workers
## Not run:
future::plan("sequential")

## End(Not run)

```

PLNPCAfamily

An R6 Class to represent a collection of PLNPCAfit

Description

The function `PLNPCA()` produces an instance of this class.

This class comes with a set of methods, some of them being useful for the user: See the documentation for `getBestModel()`, `getModel()` and `plot()`.

Super class

`PLNmodels::PLNfamily` -> `PLNPCAfamily`

Active bindings

ranks the dimensions of the successively fitted models

Methods**Public methods:**

- [PLNPCAfamily\\$new\(\)](#)
- [PLNPCAfamily\\$optimize\(\)](#)
- [PLNPCAfamily\\$getModel\(\)](#)
- [PLNPCAfamily\\$getBestModel\(\)](#)
- [PLNPCAfamily\\$plot\(\)](#)
- [PLNPCAfamily\\$show\(\)](#)
- [PLNPCAfamily\\$clone\(\)](#)

Method `new()`: Initialize all models in the collection.

Usage:

```
PLNPCAfamily$new(
  ranks,
  responses,
  covariates,
  offsets,
  weights,
  formula,
  control
)
```

Arguments:

ranks the dimensions of the successively fitted models

responses the matrix of responses common to every models

covariates the matrix of covariates common to every models

offsets the matrix of offsets common to every models

weights the vector of observation weights

formula model formula used for fitting, extracted from the formula in the upper-level call

control list controlling the optimization and the model

Method `optimize()`: Call to the C++ optimizer on all models of the collection

Usage:

```
PLNPCAfamily$optimize(config)
```

Arguments:

config list controlling the optimization.

Method `getModel()`: Extract model from collection and add "PCA" class for compatibility with [factoextra::fviz\(\)](#)

Usage:

```
PLNPCAfamily$getModel(var, index = NULL)
```

Arguments:

`var` value of the parameter (rank for PLNPCA, sparsity for PLNnetwork) that identifies the model to be extracted from the collection. If no exact match is found, the model with closest parameter value is returned with a warning.

`index` Integer index of the model to be returned. Only the first value is taken into account.

Returns: a [PLNPCAfit](#) object

Method `getBestModel()`: Extract best model in the collection

Usage:

```
PLNPCAfamily$getBestModel(crit = c("ICL", "BIC"))
```

Arguments:

`crit` a character for the criterion used to performed the selection. Either "ICL", "BIC". Default is ICL

Returns: a [PLNPCAfit](#) object

Method `plot()`: Lineplot of selected criteria for all models in the collection

Usage:

```
PLNPCAfamily$plot(criteria = c("loglik", "BIC", "ICL"), reverse = FALSE)
```

Arguments:

`criteria` A valid model selection criteria for the collection of models. Any of "loglik", "BIC" or "ICL" (all).

`reverse` A logical indicating whether to plot the value of the criteria in the "natural" direction (loglik - penalty) or in the "reverse" direction (-2 loglik + penalty). Default to FALSE, i.e use the natural direction, on the same scale as the log-likelihood.

Returns: A [ggplot2](#) object

Method `show()`: User friendly print method

Usage:

```
PLNPCAfamily$show()
```

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
PLNPCAfamily$clone(deep = FALSE)
```

Arguments:

`deep` Whether to make a deep clone.

See Also

The function [PLNPCA\(\)](#), the class [PLNPCAfit\(\)](#)

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPCAs <- PLNPCA(Abundance ~ 1 + offset(log(Offset)), data = trichoptera, ranks = 1:5)
class(myPCAs)
```

 PLNPCAfit

An R6 Class to represent a PLNfit in a PCA framework

Description

The function `PLNPCA()` produces a collection of models which are instances of object with class `PLNPCAfit`. This class comes with a set of methods, some of them being useful for the user: See the documentation for the methods inherited by `PLNfit` and the `plot()` methods for PCA visualization

Super class

`PLNmodels::PLNfit -> PLNPCAfit`

Active bindings

`rank` the dimension of the current model

`vcov_model` character: the model used for the residual covariance

`nb_param` number of parameters in the current PLN model

`entropy` entropy of the variational distribution

`latent_pos` a matrix: values of the latent position vector (Z) without covariates effects or offset

`model_par` a list with the matrices associated with the estimated parameters of the pPCA model: `B` (covariates), `Sigma` (covariance), `Omega` (precision) and `C` (loadings)

`percent_var` the percent of variance explained by each axis

`corr_circle` a matrix of correlations to plot the correlation circles

`scores` a matrix of scores to plot the individual factor maps (a.k.a. principal components)

`rotation` a matrix of rotation of the latent space

`eig` description of the eigenvalues, similar to `percent_var` but for use with external methods

`var` a list of data frames with PCA results for the variables: `coord` (coordinates of the variables), `cor` (correlation between variables and dimensions), `cos2` (Cosine of the variables) and `contrib` (contributions of the variable to the axes)

`ind` a list of data frames with PCA results for the individuals: `coord` (coordinates of the individuals), `cos2` (Cosine of the individuals), `contrib` (contributions of individuals to an axis inertia) and `dist` (distance of individuals to the origin).

`call` Hacky binding for compatibility with `factoextra` functions

Methods

Public methods:

- `PLNPCAfit$new()`
- `PLNPCAfit$update()`
- `PLNPCAfit$optimize()`
- `PLNPCAfit$optimize_vestep()`

- `PLNPCAfit$project()`
- `PLNPCAfit$setVisualization()`
- `PLNPCAfit$postTreatment()`
- `PLNPCAfit$plot_individual_map()`
- `PLNPCAfit$plot_correlation_circle()`
- `PLNPCAfit$plot_PCA()`
- `PLNPCAfit$show()`
- `PLNPCAfit$clone()`

Method `new()`: Initialize a `PLNPCAfit` object

Usage:

```
PLNPCAfit$new(rank, responses, covariates, offsets, weights, formula, control)
```

Arguments:

`rank` rank of the PCA (or equivalently, dimension of the latent space)

`responses` the matrix of responses (called Y in the model). Will usually be extracted from the corresponding field in `PLNfamily`

`covariates` design matrix (called X in the model). Will usually be extracted from the corresponding field in `PLNfamily`

`offsets` offset matrix (called O in the model). Will usually be extracted from the corresponding field in `PLNfamily`

`weights` an optional vector of observation weights to be used in the fitting process.

`formula` model formula used for fitting, extracted from the formula in the upper-level call

`control` a list for controlling the optimization. See details.

Method `update()`: Update a `PLNPCAfit` object

Usage:

```
PLNPCAfit$update(
  B = NA,
  Sigma = NA,
  Omega = NA,
  C = NA,
  M = NA,
  S = NA,
  Z = NA,
  A = NA,
  Ji = NA,
  R2 = NA,
  monitoring = NA
)
```

Arguments:

`B` matrix of regression matrix

`Sigma` variance-covariance matrix of the latent variables

`Omega` precision matrix of the latent variables. Inverse of `Sigma`.

`C` matrix of PCA loadings (in the latent space)

M matrix of mean vectors for the variational approximation
 S matrix of variance vectors for the variational approximation
 Z matrix of latent vectors (includes covariates and offset effects)
 A matrix of fitted values
 Ji vector of variational lower bounds of the log-likelihoods (one value per sample)
 R2 approximate R^2 goodness-of-fit criterion
 monitoring a list with optimization monitoring quantities
Returns: Update the current `PLNPCAfit` object

Method `optimize()`: Call to the C++ optimizer and update of the relevant fields

Usage:

```
PLNPCAfit$optimize(responses, covariates, offsets, weights, config)
```

Arguments:

responses the matrix of responses (called Y in the model). Will usually be extracted from the corresponding field in `PLNfamily`
 covariates design matrix (called X in the model). Will usually be extracted from the corresponding field in `PLNfamily`
 offsets offset matrix (called O in the model). Will usually be extracted from the corresponding field in `PLNfamily`
 weights an optional vector of observation weights to be used in the fitting process.
 config part of the control argument which configures the optimizer

Method `optimize_vestep()`: Result of one call to the VE step of the optimization procedure: optimal variational parameters (M, S) and corresponding log likelihood values for fixed model parameters (C, B). Intended to position new data in the latent space for further use with PCA.

Usage:

```
PLNPCAfit$optimize_vestep(
  covariates,
  offsets,
  responses,
  weights = rep(1, self$n),
  control = PLNPCA_param(backend = "nlopt")
)
```

Arguments:

covariates design matrix (called X in the model). Will usually be extracted from the corresponding field in `PLNfamily`
 offsets offset matrix (called O in the model). Will usually be extracted from the corresponding field in `PLNfamily`
 responses the matrix of responses (called Y in the model). Will usually be extracted from the corresponding field in `PLNfamily`
 weights an optional vector of observation weights to be used in the fitting process.
 control a list for controlling the optimization. See details.

Returns: A list with three components:

- the matrix M of variational means,

- the matrix `S2` of variational variances
- the vector `log.lik` of (variational) log-likelihood of each new observation

Method `project()`: Project new samples into the PCA space using one VE step

Usage:

```
PLNPCAfit$project(newdata, control = PLNPCA_param(), envir = parent.frame())
```

Arguments:

`newdata` A data frame in which to look for variables, offsets and counts with which to predict.

`control` a list for controlling the optimization. See [PLN\(\)](#) for details.

`envir` Environment in which the projection is evaluated

Returns:

- the named matrix of scores for the `newdata`, expressed in the same coordinate system as `self$scores`

Method `setVisualization()`: Compute PCA scores in the latent space and update corresponding fields.

Usage:

```
PLNPCAfit$setVisualization(scale.unit = FALSE)
```

Arguments:

`scale.unit` Logical. Should PCA scores be rescaled to have unit variance

Method `postTreatment()`: Update `R2`, `fisher`, `std_err` fields and set up visualization

Usage:

```
PLNPCAfit$postTreatment(
  responses,
  covariates,
  offsets,
  weights,
  config_post,
  config_optim,
  nullModel
)
```

Arguments:

`responses` the matrix of responses (called `Y` in the model). Will usually be extracted from the corresponding field in [PLNfamily](#)

`covariates` design matrix (called `X` in the model). Will usually be extracted from the corresponding field in [PLNfamily](#)

`offsets` offset matrix (called `O` in the model). Will usually be extracted from the corresponding field in [PLNfamily](#)

`weights` an optional vector of observation weights to be used in the fitting process.

`config_post` a list for controlling the post-treatments (optional bootstrap, jackknife, `R2`, etc.). See details

`config_optim` a list for controlling the optimizer (either "nlopt" or "torch" backend). See details

`nullModel` null model used for approximate R2 computations. Defaults to a GLM model with same design matrix but not latent variable.

Details: The list of parameters `config_post` controls the post-treatment processing, with the following entries:

- `jackknife` boolean indicating whether jackknife should be performed to evaluate bias and variance of the model parameters. Default is FALSE.
- `bootstrap` integer indicating the number of bootstrap resamples generated to evaluate the variance of the model parameters. Default is 0 (inactivated).
- `variational_var` boolean indicating whether variational Fisher information matrix should be computed to estimate the variance of the model parameters (highly underestimated). Default is FALSE.
- `rsquared` boolean indicating whether approximation of R2 based on deviance should be computed. Default is TRUE
- `trace` integer for verbosity. should be > 1 to see output in post-treatments

Method `plot_individual_map()`: Plot the factorial map of the PCA

Usage:

```
PLNPCAfit$plot_individual_map(
  axes = 1:min(2, self$rank),
  main = "Individual Factor Map",
  plot = TRUE,
  cols = "default"
)
```

Arguments:

`axes` numeric, the axes to use for the plot when `map = "individual" or "variable"`. Default is `c(1,min(rank))`

`main` character. A title for the single plot (individual or variable factor map). If NULL (the default), an hopefully appropriate title will be used.

`plot` logical. Should the plot be displayed or sent back as ggplot object

`cols` a character, factor or numeric to define the color associated with the individuals. By default, all individuals receive the default color of the current palette.

Returns: a [ggplot](#) graphic

Method `plot_correlation_circle()`: Plot the correlation circle of a specified axis for a [PLNLDAfit](#) object

Usage:

```
PLNPCAfit$plot_correlation_circle(
  axes = 1:min(2, self$rank),
  main = "Variable Factor Map",
  cols = "default",
  plot = TRUE
)
```

Arguments:

`axes` numeric, the axes to use for the plot when `map = "individual" or "variable"`. Default is `c(1,min(rank))`

main character. A title for the single plot (individual or variable factor map). If NULL (the default), an hopefully appropriate title will be used.

cols a character, factor or numeric to define the color associated with the variables. By default, all variables receive the default color of the current palette.

plot logical. Should the plot be displayed or sent back as ggplot object

Returns: a [ggplot](#) graphic

Method `plot_PCA()`: Plot a summary of the [PLNPCAfit](#) object

Usage:

```
PLNPCAfit$plot_PCA(
  nb_axes = min(3, self$rank),
  ind_cols = "ind_cols",
  var_cols = "var_cols",
  plot = TRUE
)
```

Arguments:

nb_axes scalar: the number of axes to be considered when map = "both". The default is `min(3,rank)`.

ind_cols a character, factor or numeric to define the color associated with the individuals. By default, all variables receive the default color of the current palette.

var_cols a character, factor or numeric to define the color associated with the variables. By default, all variables receive the default color of the current palette.

plot logical. Should the plot be displayed or sent back as ggplot object

Returns: a [grob](#) object

Method `show()`: User friendly print method

Usage:

```
PLNPCAfit$show()
```

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
PLNPCAfit$clone(deep = FALSE)
```

Arguments:

deep Whether to make a deep clone.

See Also

The function [PLNPCA](#), the class [PLNPCAfamily](#)

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPCAs <- PLNPCA(Abundance ~ 1 + offset(log(Offset)), data = trichoptera, ranks = 1:5)
myPCA <- getBestModel(myPCAs)
class(myPCA)
print(myPCA)
```

 PLNPCA_param

Control of PLNPCA fit

Description

Helper to define list of parameters to control the PLNPCA fit. All arguments have defaults.

Usage

```

PLNPCA_param(
  backend = "nlopt",
  trace = 1,
  config_optim = list(),
  config_post = list(),
  inception = NULL
)

```

Arguments

backend	optimization back used, either "nlopt" or "torch". Default is "nlopt"
trace	a integer for verbosity.
config_optim	a list for controlling the optimizer (either "nlopt" or "torch" backend). See details
config_post	a list for controlling the post-treatments (optional bootstrap, jackknife, R2, etc.). See details
inception	Set up the parameters initialization: by default, the model is initialized with a multivariate linear model applied on log-transformed data, and with the same formula as the one provided by the user. However, the user can provide a PLNfit (typically obtained from a previous fit), which sometimes speeds up the inference.

Details

The list of parameters `config_optim` controls the optimizers. When "nlopt" is chosen the following entries are relevant

- "algorithm" the optimization method used by NLOPT among LD type, e.g. "CCSAQ", "MMA", "LBFGS". See NLOPT documentation for further details. Default is "CCSAQ".
- "maxeval" stop when the number of iteration exceeds maxeval. Default is 10000
- "ftol_rel" stop when an optimization step changes the objective function by less than ftol multiplied by the absolute value of the parameter. Default is 1e-8
- "xtol_rel" stop when an optimization step changes every parameters by less than xtol multiplied by the absolute value of the parameter. Default is 1e-6
- "ftol_abs" stop when an optimization step changes the objective function by less than ftol_abs. Default is 0.0 (disabled)

- "xtol_abs" stop when an optimization step changes every parameters by less than xtol_abs. Default is 0.0 (disabled)
- "maxtime" stop when the optimization time (in seconds) exceeds maxtime. Default is -1 (disabled)

When "torch" backend is used (only for PLN and PLNLDA for now), the following entries are relevant:

- "algorithm" the optimizer used by torch among RPROP (default), RMSPROP, ADAM and ADAGRAD
- "maxeval" stop when the number of iteration exceeds maxeval. Default is 10 000
- "numepoch" stop training once this number of epochs exceeds numepoch. Set to -1 to enable infinite training. Default is 1 000
- "num_batch" number of batches to use during training. Defaults to 1 (use full dataset at each epoch)
- "ftol_rel" stop when an optimization step changes the objective function by less than ftol multiplied by the absolute value of the parameter. Default is 1e-8
- "xtol_rel" stop when an optimization step changes every parameters by less than xtol multiplied by the absolute value of the parameter. Default is 1e-6
- "lr" learning rate. Default is 0.1.
- "momentum" momentum factor. Default is 0 (no momentum). Only used in RMSPROP
- "weight_decay" Weight decay penalty. Default is 0 (no decay). Not used in RPROP
- "step_sizes" pair of minimal (default: 1e-6) and maximal (default: 50) allowed step sizes. Only used in RPROP
- "etas" pair of multiplicative increase and decrease factors. Default is (0.5, 1.2). Only used in RPROP
- "centered" if TRUE, compute the centered RMSProp where the gradient is normalized by an estimation of its variance weight_decay (L2 penalty). Default to FALSE. Only used in RMSPROP

The list of parameters config_post controls the post-treatment processing (for most PLN*() functions), with the following entries (defaults may vary depending on the specific function, check config_post_default_* for defaults values):

- jackknife boolean indicating whether jackknife should be performed to evaluate bias and variance of the model parameters. Default is FALSE.
- bootstrap integer indicating the number of bootstrap resamples generated to evaluate the variance of the model parameters. Default is 0 (inactivated).
- variational_var boolean indicating whether variational Fisher information matrix should be computed to estimate the variance of the model parameters (highly underestimated). Default is FALSE.
- sandwich_var boolean indicating whether sandwich estimation should be used to estimate the variance of the model parameters (highly underestimated). Default is FALSE.
- rsquared boolean indicating whether approximation of R2 based on deviance should be computed. Default is TRUE

Value

list of parameters configuring the fit.

 PLN_param

Control of a PLN fit

Description

Helper to define list of parameters to control the PLN fit. All arguments have defaults.

Usage

```

PLN_param(
  backend = c("nlopt", "torch"),
  trace = 1,
  covariance = c("full", "diagonal", "spherical", "fixed"),
  Omega = NULL,
  config_post = list(),
  config_optim = list(),
  inception = NULL
)

```

Arguments

backend	optimization back used, either "nlopt" or "torch". Default is "nlopt"
trace	a integer for verbosity.
covariance	character setting the model for the covariance matrix. Either "full", "diagonal", "spherical" or "fixed". Default is "full".
Omega	precision matrix of the latent variables. Inverse of Sigma. Must be specified if covariance is "fixed"
config_post	a list for controlling the post-treatments (optional bootstrap, jackknife, R2, etc.). See details
config_optim	a list for controlling the optimizer (either "nlopt" or "torch" backend). See details
inception	Set up the parameters initialization: by default, the model is initialized with a multivariate linear model applied on log-transformed data, and with the same formula as the one provided by the user. However, the user can provide a PLNfit (typically obtained from a previous fit), which sometimes speeds up the inference.

Details

The list of parameters `config_optimizer` controls the optimizers. When "nlopt" is chosen the following entries are relevant

- "algorithm" the optimization method used by NLOPT among LD type, e.g. "CCSAQ", "MMA", "LBFGS". See NLOPT documentation for further details. Default is "CCSAQ".
- "maxeval" stop when the number of iteration exceeds maxeval. Default is 10000
- "ftol_rel" stop when an optimization step changes the objective function by less than ftol multiplied by the absolute value of the parameter. Default is 1e-8
- "xtol_rel" stop when an optimization step changes every parameters by less than xtol multiplied by the absolute value of the parameter. Default is 1e-6
- "ftol_abs" stop when an optimization step changes the objective function by less than ftol_abs. Default is 0.0 (disabled)
- "xtol_abs" stop when an optimization step changes every parameters by less than xtol_abs. Default is 0.0 (disabled)
- "maxtime" stop when the optimization time (in seconds) exceeds maxtime. Default is -1 (disabled)

When "torch" backend is used (only for PLN and PLNLDA for now), the following entries are relevant:

- "algorithm" the optimizer used by torch among RPROP (default), RMSPROP, ADAM and ADAGRAD
- "maxeval" stop when the number of iteration exceeds maxeval. Default is 10 000
- "numepoch" stop training once this number of epochs exceeds numepoch. Set to -1 to enable infinite training. Default is 1 000
- "num_batch" number of batches to use during training. Defaults to 1 (use full dataset at each epoch)
- "ftol_rel" stop when an optimization step changes the objective function by less than ftol multiplied by the absolute value of the parameter. Default is 1e-8
- "xtol_rel" stop when an optimization step changes every parameters by less than xtol multiplied by the absolute value of the parameter. Default is 1e-6
- "lr" learning rate. Default is 0.1.
- "momentum" momentum factor. Default is 0 (no momentum). Only used in RMSPROP
- "weight_decay" Weight decay penalty. Default is 0 (no decay). Not used in RPROP
- "step_sizes" pair of minimal (default: 1e-6) and maximal (default: 50) allowed step sizes. Only used in RPROP
- "etas" pair of multiplicative increase and decrease factors. Default is (0.5, 1.2). Only used in RPROP
- "centered" if TRUE, compute the centered RMSProp where the gradient is normalized by an estimation of its variance weight_decay (L2 penalty). Default to FALSE. Only used in RMSPROP

The list of parameters `config_post` controls the post-treatment processing (for most `PLN*()` functions), with the following entries (defaults may vary depending on the specific function, check `config_post_default_*` for defaults values):

- `jackknife` boolean indicating whether jackknife should be performed to evaluate bias and variance of the model parameters. Default is `FALSE`.
- `bootstrap` integer indicating the number of bootstrap resamples generated to evaluate the variance of the model parameters. Default is 0 (inactivated).
- `variational_var` boolean indicating whether variational Fisher information matrix should be computed to estimate the variance of the model parameters (highly underestimated). Default is `FALSE`.
- `sandwich_var` boolean indicating whether sandwich estimation should be used to estimate the variance of the model parameters (highly underestimated). Default is `FALSE`.
- `rsquared` boolean indicating whether approximation of R^2 based on deviance should be computed. Default is `TRUE`

Value

list of parameters configuring the fit.

<code>plot.Networkfamily</code>	<i>Display various outputs (goodness-of-fit criteria, robustness, diagnostic) associated with a collection of network fits (either PLNnetworkfamily or ZIPLNnetworkfamily)</i>
---------------------------------	--

Description

Display various outputs (goodness-of-fit criteria, robustness, diagnostic) associated with a collection of network fits (either [PLNnetworkfamily](#) or [ZIPLNnetworkfamily](#))

Usage

```
## S3 method for class 'Networkfamily'
plot(
  x,
  type = c("criteria", "stability", "diagnostic"),
  criteria = c("loglik", "pen_loglik", "BIC", "EBIC"),
  reverse = FALSE,
  log.x = TRUE,
  stability = 0.9,
  ...
)

## S3 method for class 'PLNnetworkfamily'
plot(
  x,
```

```

    type = c("criteria", "stability", "diagnostic"),
    criteria = c("loglik", "pen_loglik", "BIC", "EBIC"),
    reverse = FALSE,
    log.x = TRUE,
    stability = 0.9,
    ...
)

## S3 method for class 'ZIPLNetworkfamily'
plot(
  x,
  type = c("criteria", "stability", "diagnostic"),
  criteria = c("loglik", "pen_loglik", "BIC", "EBIC"),
  reverse = FALSE,
  log.x = TRUE,
  stability = 0.9,
  ...
)

```

Arguments

x	an R6 object with class PLNetworkfamily or ZIPLNetworkfamily
type	a character, either "criteria", "stability" or "diagnostic" for the type of plot.
criteria	Vector of criteria to plot, to be selected among "loglik" (log-likelihood), "BIC", "ICL", "R_squared", "EBIC" and "pen_loglik" (penalized log-likelihood). Default is c("loglik", "pen_loglik", "BIC", "EBIC"). Only used when type = "criteria".
reverse	A logical indicating whether to plot the value of the criteria in the "natural" direction (loglik - 0.5 penalty) or in the "reverse" direction (-2 loglik + penalty). Default to FALSE, i.e use the natural direction, on the same scale as the log-likelihood.
log.x	logical: should the x-axis be represented in log-scale? Default is TRUE.
stability	scalar: the targeted level of stability in stability plot. Default is .9.
...	additional parameters for S3 compatibility. Not used

Details

The BIC and ICL criteria have the form 'loglik - 1/2 * penalty' so that they are on the same scale as the model log-likelihood. You can change this direction and use the alternate form '-2*loglik + penalty', as some authors do, by setting reverse = TRUE.

Value

Produces either a diagnostic plot (with type = 'diagnostic'), a stability plot (with type = 'stability') or the evolution of the criteria of the different models considered (with type = 'criteria', the default).

Functions

- plot(PLNnetworkfamily): Display various outputs associated with a collection of network fits
- plot(ZIPLNnetworkfamily): Display various outputs associated with a collection of network fits

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
fits <- PLNnetwork(Abundance ~ 1, data = trichoptera)
## Not run:
plot(fits)

## End(Not run)
```

plot.PLNfamily	<i>Display the criteria associated with a collection of PLN fits (a PLNfamily)</i>
----------------	--

Description

Display the criteria associated with a collection of PLN fits (a PLNfamily)

Usage

```
## S3 method for class 'PLNfamily'
plot(x, criteria = c("loglik", "BIC", "ICL"), reverse = FALSE, ...)
```

Arguments

x	an R6 object with class PLNfamily
criteria	vector of characters. The criteria to plot in c("loglik", "BIC", "ICL"). Default is c("loglik", "BIC", "ICL").
reverse	A logical indicating whether to plot the value of the criteria in the "natural" direction (loglik - 0.5 penalty) or in the "reverse" direction (-2 loglik + penalty). Default to FALSE, i.e use the natural direction, on the same scale as the log-likelihood.
...	additional parameters for S3 compatibility. Not used

Details

The BIC and ICL criteria have the form 'loglik - 1/2 * penalty' so that they are on the same scale as the model log-likelihood. You can change this direction and use the alternate form '-2*loglik + penalty', as some authors do, by setting reverse = TRUE.

Value

Produces a plot representing the evolution of the criteria of the different models considered, highlighting the best model in terms of BIC and ICL (see details).

See Also

[plot.PLNPCAfamily\(\)](#) and [plot.PLNnetworkfamily\(\)](#)

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPCAs <- PLNPCA(Abundance ~ 1 + offset(log(Offset)), data = trichoptera, ranks = 1:5)
## Not run:
plot(myPCAs)

## End(Not run)
```

plot.PLNLDAfit	<i>LDA visualization (individual and/or variable factor map(s)) for a PLNPCAfit object</i>
----------------	--

Description

LDA visualization (individual and/or variable factor map(s)) for a [PLNPCAfit](#) object

Usage

```
## S3 method for class 'PLNLDAfit'
plot(
  x,
  map = c("both", "individual", "variable"),
  nb_axes = min(3, x$rank),
  axes = seq.int(min(2, x$rank)),
  var_cols = "var_colors",
  plot = TRUE,
  main = NULL,
  ...
)
```

Arguments

x	an R6 object with class <code>PLNPCAfit</code>
map	the type of output for the PCA visualization: either "individual", "variable" or "both". Default is "both".
nb_axes	scalar: the number of axes to be considered when map = "both". The default is min(3,rank).

axes	numeric, the axes to use for the plot when map = "individual" or "variable". Default is c(1,min(rank))
var_cols	a character or factor to define the color associated with the variables. By default, all variables receive the default color of the current palette.
plot	logical. Should the plot be displayed or sent back as <code>ggplot2</code> object
main	character. A title for the single plot (individual or variable factor map). If NULL (the default), an hopefully appropriate title will be used.
...	Not used (S3 compatibility).

Value

displays an individual and/or variable factor maps for the corresponding axes, and/or sends back a `ggplot2` or `gtable` object

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPLNLDA <- PLNLDA(Abundance ~ 1, grouping = Group, data = trichoptera)
## Not run:
plot(myPLNLDA, map = "individual", nb_axes = 2)

## End(Not run)
```

plot.PLNmixturefamily *Display the criteria associated with a collection of PLNmixture fits (a PLNmixturefamily)*

Description

Display the criteria associated with a collection of PLNmixture fits (a PLNmixturefamily)

Usage

```
## S3 method for class 'PLNmixturefamily'
plot(
  x,
  type = c("criteria", "diagnostic"),
  criteria = c("loglik", "BIC", "ICL"),
  reverse = FALSE,
  ...
)
```

Arguments

x	an R6 object with class <code>PLNmixturefamily</code>
type	a character, either "criteria" or "diagnostic" for the type of plot.
criteria	vector of characters. The criteria to plot in <code>c("loglik", "BIC", "ICL")</code> . Default is <code>c("loglik", "BIC", "ICL")</code> .
reverse	A logical indicating whether to plot the value of the criteria in the "natural" direction (<code>loglik - 0.5 penalty</code>) or in the "reverse" direction (<code>-2 loglik + penalty</code>). Default to FALSE, i.e use the natural direction, on the same scale as the log-likelihood.
...	additional parameters for S3 compatibility. Not used

Details

The BIC and ICL criteria have the form 'loglik - 1/2 * penalty' so that they are on the same scale as the model log-likelihood. You can change this direction and use the alternate form '-2*loglik + penalty', as some authors do, by setting `reverse = TRUE`.

Value

Produces either a diagnostic plot (with `type = 'diagnostic'`) or the evolution of the criteria of the different models considered (with `type = 'criteria'`, the default).

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myMixtures <- PLNmixture(Abundance ~ 1 + offset(log(Offset)),
  data = trichoptera, control = PLNmixture_param(smoothing = "none"))
plot(myMixtures, reverse = TRUE)
```

`plot.PLNmixturefit` *Mixture visualization of a `PLNmixturefit` object*

Description

Represent the result of the clustering either by coloring the individual in a two-dimension PCA factor map, or by representing the expected matrix of count reorder according to the clustering.

Usage

```
## S3 method for class 'PLNmixturefit'
plot(x, type = c("pca", "matrix"), main = NULL, plot = TRUE, ...)
```

Arguments

x	an R6 object with class <code>PLNmixturefit</code>
type	character for the type of plot, either "pca", for or "matrix". Default is "pca".
main	character. A title for the plot. If NULL (the default), an hopefully appropriate title will be used.
plot	logical. Should the plot be displayed or sent back as <code>ggplot</code> object
...	Not used (S3 compatibility).

Value

a `ggplot` graphic

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPLN <- PLNmixture(Abundance ~ 1 + offset(log(Offset)),
  data = trichoptera, control = PLNmixture_param(smoothing = "none")) %>% getBestModel()
## Not run:
plot(myPLN, "pca")
plot(myPLN, "matrix")

## End(Not run)
```

plot.PLNnetworkfit	<i>Extract and plot the network (partial correlation, support or inverse covariance) from a <code>PLNnetworkfit</code> object</i>
--------------------	---

Description

Extract and plot the network (partial correlation, support or inverse covariance) from a `PLNnetworkfit` object

Usage

```
## S3 method for class 'PLNnetworkfit'
plot(
  x,
  type = c("partial_cor", "support"),
  output = c("igraph", "corrplot"),
  edge.color = c("#F8766D", "#00BFC4"),
  remove.isolated = FALSE,
  node.labels = NULL,
  layout = layout_in_circle,
  plot = TRUE,
  ...
)
```


Arguments

x	an R6 object with class <code>PLNnetworkfit</code>
type	character. Value of the weight of the edges in the network, either "partial_cor" (partial correlation) or "support" (binary). Default is "partial_cor".
output	the type of output used: either 'igraph' or 'corrplot'. Default is 'igraph'.
edge.color	Length 2 color vector. Color for positive/negative edges. Default is c("#F8766D", "#00BFC4"). Only relevant for igraph output.
remove.isolated	if TRUE, isolated node are remove before plotting. Only relevant for igraph output.
node.labels	vector of character. The labels of the nodes. The default will use the column names of the response matrix.
layout	an optional igraph layout. Only relevant for igraph output.
plot	logical. Should the final network be displayed or only sent back to the user. Default is TRUE.
...	Not used (S3 compatibility).

Value

Send back an invisible object (igraph or Matrix, depending on the output chosen) and optionally displays a graph (via igraph or corrplot for large ones)

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
fits <- PLNnetwork(Abundance ~ 1, data = trichoptera)
myNet <- getBestModel(fits)
## Not run:
plot(myNet)

## End(Not run)
```

plot.PLNPCAfamily	<i>Display the criteria associated with a collection of PLNPCA fits (a PLNPCAfamily)</i>
-------------------	--

Description

Display the criteria associated with a collection of PLNPCA fits (a PLNPCAfamily)

Usage

```
## S3 method for class 'PLNPCAfamily'
plot(x, criteria = c("loglik", "BIC", "ICL"), reverse = FALSE, ...)
```

Arguments

x	an R6 object with class <code>PLNPCAfamily</code>
criteria	vector of characters. The criteria to plot in <code>c("loglik", "BIC", "ICL")</code> . Default is <code>c("loglik", "BIC", "ICL")</code> .
reverse	A logical indicating whether to plot the value of the criteria in the "natural" direction (<code>loglik - 0.5 penalty</code>) or in the "reverse" direction (<code>-2 loglik + penalty</code>). Default to <code>FALSE</code> , i.e use the natural direction, on the same scale as the log-likelihood.
...	additional parameters for S3 compatibility. Not used

Details

The BIC and ICL criteria have the form '`loglik - 1/2 * penalty`' so that they are on the same scale as the model log-likelihood. You can change this direction and use the alternate form '`-2*loglik + penalty`', as some authors do, by setting `reverse = TRUE`.

Value

Produces a plot representing the evolution of the criteria of the different models considered, highlighting the best model in terms of BIC and ICL (see details).

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPCAs <- PLNPCA(Abundance ~ 1 + offset(log(Offset)), data = trichoptera, ranks = 1:5)
## Not run:
plot(myPCAs)

## End(Not run)
```

plot.PLNPCAfit	<i>PCA visualization (individual and/or variable factor map(s)) for a <code>PLNPCAfit</code> object</i>
----------------	---

Description

PCA visualization (individual and/or variable factor map(s)) for a `PLNPCAfit` object

Usage

```
## S3 method for class 'PLNPCAfit'
plot(
  x,
  map = c("both", "individual", "variable"),
  nb_axes = min(3, x$rank),
  axes = seq.int(min(2, x$rank)),
```

```

    ind_cols = "ind_colors",
    var_cols = "var_colors",
    plot = TRUE,
    main = NULL,
    ...
  )

```

Arguments

x	an R6 object with class PLNPCAfit
map	the type of output for the PCA visualization: either "individual", "variable" or "both". Default is "both".
nb_axes	scalar: the number of axes to be considered when map = "both". The default is min(3,rank).
axes	numeric, the axes to use for the plot when map = "individual" or map = "variable". Default is c(1,min(rank))
ind_cols	a character, factor or numeric to define the color associated with the individuals. By default, all variables receive the default color of the current palette.
var_cols	a character, factor or numeric to define the color associated with the variables. By default, all variables receive the default color of the current palette.
plot	logical. Should the plot be displayed or sent back as ggplot object
main	character. A title for the single plot (individual or variable factor map). If NULL (the default), an hopefully appropriate title will be used.
...	Not used (S3 compatibility).

Value

displays an individual and/or variable factor maps for the corresponding axes, and/or sends back a [ggplot](#) or [gtable](#) object

Examples

```

data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPCAs <- PLNPCA(Abundance ~ 1 + offset(log(Offset)), data = trichoptera, ranks = 1:5)
myPCA <- getBestModel(myPCAs)
## Not run:
plot(myPCA, map = "individual", nb_axes=2, ind_cols = trichoptera$Group)
plot(myPCA, map = "variable", nb_axes=2)
plot(myPCA, map = "both", nb_axes=2, ind_cols = trichoptera$Group)

## End(Not run)

```

plot.ZIPLNfit_sparse *Extract and plot the network (partial correlation, support or inverse covariance) from a [ZIPLNfit_sparse](#) object*

Description

Extract and plot the network (partial correlation, support or inverse covariance) from a [ZIPLNfit_sparse](#) object

Usage

```
## S3 method for class 'ZIPLNfit_sparse'
plot(
  x,
  type = c("partial_cor", "support"),
  output = c("igraph", "corrplot"),
  edge.color = c("#F8766D", "#00BFC4"),
  remove.isolated = FALSE,
  node.labels = NULL,
  layout = layout_in_circle,
  plot = TRUE,
  ...
)
```

Arguments

x	an R6 object with class ZIPLNfit_sparse
type	character. Value of the weight of the edges in the network, either "partial_cor" (partial correlation) or "support" (binary). Default is "partial_cor".
output	the type of output used: either 'igraph' or 'corrplot'. Default is 'igraph'.
edge.color	Length 2 color vector. Color for positive/negative edges. Default is c("#F8766D", "#00BFC4"). Only relevant for igraph output.
remove.isolated	if TRUE, isolated node are remove before plotting. Only relevant for igraph output.
node.labels	vector of character. The labels of the nodes. The default will use the column names of the response matrix.
layout	an optional igraph layout. Only relevant for igraph output.
plot	logical. Should the final network be displayed or only sent back to the user. Default is TRUE.
...	Not used (S3 compatibility).

Value

Send back an invisible object (igraph or Matrix, depending on the output chosen) and optionally displays a graph (via igraph or corrplot for large ones)

Examples

```

data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
fit <- ZIPLN(Abundance ~ 1, data = trichoptera, control = ZIPLN_param(penalty = 0.1))
## Not run:
plot(fit)

## End(Not run)

```

predict.PLNfit	<i>Predict counts of a new sample</i>
----------------	---------------------------------------

Description

Predict counts of a new sample

Usage

```

## S3 method for class 'PLNfit'
predict(
  object,
  newdata,
  responses = NULL,
  level = 1,
  type = c("link", "response"),
  ...
)

```

Arguments

object	an R6 object with class PLNfit
newdata	A data frame in which to look for variables and offsets with which to predict
responses	Optional data frame containing the count of the observed variables (matching the names of the provided as data in the PLN function), assuming the interest in in testing the model.
level	Optional integer value the level to be used in obtaining the predictions. Level zero corresponds to the population predictions (default if responses is not provided) while level one (default) corresponds to predictions after evaluating the variational parameters for the new data.
type	The type of prediction required. The default is on the scale of the linear predictors (i.e. log average count)
...	additional parameters for S3 compatibility. Not used

Value

A matrix of predicted log-counts (if type = "link") or predicted counts (if type = "response").

predict.PLNLDAfit *Predict group of new samples*

Description

Predict group of new samples

Usage

```
## S3 method for class 'PLNLDAfit'
predict(
  object,
  newdata,
  type = c("posterior", "response", "scores"),
  scale = c("log", "prob"),
  prior = NULL,
  control = PLN_param(backend = "nlopt"),
  ...
)
```

Arguments

object	an R6 object with class PLNLDAfit
newdata	A data frame in which to look for variables, offsets and counts with which to predict.
type	The type of prediction required. The default are posterior probabilities for each group (in either unnormalized log-scale or natural probabilities, see "scale" for details), "response" is the group with maximal posterior probability and "scores" is the average score along each separation axis in the latent space, with weights equal to the posterior probabilities.
scale	The scale used for the posterior probability. Either log-scale ("log", default) or natural probabilities summing up to 1 ("prob").
prior	User-specified prior group probabilities in the new data. If NULL (default), prior probabilities are computed from the learning set.
control	a list for controlling the optimization. See PLN() for details.
...	additional parameters for S3 compatibility. Not used

Value

A matrix of posterior probabilities for each group (if type = "posterior"), a matrix of (average) scores in the latent space (if type = "scores") or a vector of predicted groups (if type = "response").

Examples

```

data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myLDA <- PLNLDA(Abundance ~ 0 + offset(log(Offset)),
                grouping = Group,
                data = trichoptera)

## Not run:
post_probs <- predict(myLDA, newdata = trichoptera, type = "posterior", scale = "prob")
head(round(post_probs, digits = 3))
predicted_group <- predict(myLDA, newdata = trichoptera, type = "response")
table(predicted_group, trichoptera$Group, dnn = c("predicted", "true"))

## End(Not run)

```

predict.PLNmixturefit *Prediction for a [PLNmixturefit](#) object*

Description

Predict either posterior probabilities for each group or latent positions based on new samples

Usage

```

## S3 method for class 'PLNmixturefit'
predict(
  object,
  newdata,
  type = c("posterior", "response", "position"),
  prior = matrix(rep(1/object$k, object$k), nrow(newdata), object$k, byrow = TRUE),
  control = PLNmixture_param(),
  ...
)

```

Arguments

object	an R6 object with class PLNmixturefit
newdata	A data frame in which to look for variables, offsets and counts with which to predict.
type	The type of prediction required. The default posterior are posterior probabilities for each group , response is the group with maximal posterior probability and latent is the averaged latent in the latent space, with weights equal to the posterior probabilities.
prior	User-specified prior group probabilities in the new data. The default uses a uniform prior.
control	a list-like structure for controlling the fit. See PLNmixture_param() for details.
...	additional parameters for S3 compatibility. Not used

Value

A matrix of posterior probabilities for each group (if type = "posterior"), a matrix of (average) position in the latent space (if type = "position") or a vector of predicted groups (if type = "response").

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPLN <- PLNmixture(Abundance ~ 1 + offset(log(Offset)),
  data = trichoptera, control = PLNmixture_param(smoothing = "none")) %>% getBestModel()
predict(myPLN, trichoptera, "posterior")
predict(myPLN, trichoptera, "position")
predict(myPLN, trichoptera, "response")
```

predict.ZIPLNfit *Predict counts of a new sample*

Description

Predict counts of a new sample

Usage

```
## S3 method for class 'ZIPLNfit'
predict(
  object,
  newdata,
  responses = NULL,
  level = 1,
  type = c("link", "response", "deflated"),
  ...
)
```

Arguments

object	an R6 object with class ZIPLNfit
newdata	A data frame in which to look for variables and offsets with which to predict
responses	Optional data frame containing the count of the observed variables (matching the names of the provided as data in the PLN function), assuming the interest in in testing the model.
level	Optional integer value the level to be used in obtaining the predictions. Level zero corresponds to the population predictions (default if responses is not provided) while level one (default) corresponds to predictions after evaluating the variational parameters for the new data.

type	Scale used for the prediction. Either "link" (default, predicted positions in the latent space), "response" (predicted average counts, accounting for zero-inflation) or "deflated" (predicted average counts, not accounting for zero-inflation and using only the PLN part of the model).
...	additional parameters for S3 compatibility. Not used

Details

Note that `level = 1` can only be used if responses are provided, as the variational parameters can't be estimated otherwise. In the absence of responses, `level` is ignored and the fitted values are returned

Note also that when `type = "response"` corresponds to predicting values with $(1 - \pi)A$, where A is the average count in the PLN part of the model and π the probability of zero-inflation, whereas `type = "deflated"` corresponds to A .

predict_cond	<i>Predict counts conditionally</i>
--------------	-------------------------------------

Description

Predict counts of a new sample conditionally on a (set of) observed variables

Usage

```
predict_cond(
  object,
  newdata,
  cond_responses,
  type = c("link", "response"),
  var_par = FALSE
)

## S3 method for class 'PLNfit'
predict_cond(
  object,
  newdata,
  cond_responses,
  type = c("link", "response"),
  var_par = FALSE
)
```

Arguments

object	an R6 object with class <code>PLNfit</code>
newdata	A data frame in which to look for variables and offsets with which to predict

cond_responses	a data frame containing the counts of the observed variables (matching the names provided as data in the PLN function)
type	The type of prediction required. The default is on the scale of the linear predictors (i.e. log average count)
var_par	Boolean. Should new estimations of the variational parameters of mean and variance be sent back, as attributes of the matrix of predictions. Default to FALSE.

Value

A list containing:

pred	A matrix of predicted log-counts (if type = "link") or predicted counts (if type = "response")
M	A matrix containing $E(Z_{\text{uncond}} Y_{\text{c}})$ for each given site.
S	A matrix containing $\text{Var}(Z_{\text{uncond}} Y_{\text{c}})$ for each given site (sites are the third dimension of the array)

Methods (by class)

- `predict_cond(PLNfit)`: Predict counts of a new sample conditionally on a (set of) observed variables for a [PLNfit](#)

Examples

```
data(trichoptera)
trichoptera_prep <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPLN <- PLN(Abundance ~ Temperature + Wind, trichoptera_prep)
#Condition on the set of the first two species in the dataset (Hym, Hys) at the ten first sites
Yc <- trichoptera$Abundance[1:10, c(1, 2), drop=FALSE]
newX <- cbind(1, trichoptera$Covariate[1:10, c("Temperature", "Wind")])
pred <- predict_cond(myPLN, newX, Yc, type = "response")
```

```
prepare_data
```

```
Prepare data for use in PLN models
```

Description

Prepare data in proper format for use in PLN model and its variants. The function (i) merges a count table and a covariate data frame in the most comprehensive way and (ii) computes offsets from the count table using one of several normalization schemes (TSS, CSS, RLE, GMPR, Wrench, etc). The function fails with informative messages when the heuristics used for sample matching fail.

Usage

```
prepare_data(
  counts,
  covariates,
  offset = "TSS",
  call = rlang::caller_env(),
  ...
)
```

Arguments

counts	Required. An abundance count table, preferably with dimensions names and species as columns.
covariates	Required. A covariates data frame, preferably with row names.
offset	Optional. Normalization scheme used to compute scaling factors used as offset during PLN inference. Available schemes are "TSS" (Total Sum Scaling, default), "CSS" (Cumulative Sum Scaling, used in metagenomeSeq), "RLE" (Relative Log Expression, used in DESeq2), "GMPR" (Geometric Mean of Pairwise Ratio, introduced in Chen et al., 2018), Wrench (introduced in Kumar et al., 2018) or "none". Alternatively the user can supply its own vector or matrix of offsets (see note for specification of the user-supplied offsets).
call	Optional. The execution environment in which to set the local error call.
...	Additional parameters passed on to compute_offset()

Value

A data.frame suited for use in [PLN\(\)](#) and its variants with two special components: an abundance count matrix (in component "Abundance") and an offset vector/matrix (in component "Offset", only if offset is not set to "none")

Note

User supplied offsets should be either vectors/column-matrices or have the same number of column as the original count matrix and either (i) dimension names or (ii) the same dimensions as the count matrix. Samples are trimmed in exactly the same way to remove empty samples.

References

- Chen, L., Reeve, J., Zhang, L., Huang, S., Wang, X. and Chen, J. (2018) GMPR: A robust normalization method for zero-inflated count data with application to microbiome sequencing data. *PeerJ*, 6, e4600 [doi:10.7717/peerj.4600](https://doi.org/10.7717/peerj.4600)
- Paulson, J. N., Colin Stine, O., Bravo, H. C. and Pop, M. (2013) Differential abundance analysis for microbial marker-gene surveys. *Nature Methods*, 10, 1200-1202 [doi:10.1038/nmeth.2658](https://doi.org/10.1038/nmeth.2658)
- Anders, S. and Huber, W. (2010) Differential expression analysis for sequence count data. *Genome Biology*, 11, R106 [doi:10.1186/gb20101110r106](https://doi.org/10.1186/gb20101110r106)
- Kumar, M., Slud, E., Okrah, K. et al. (2018) Analysis and correction of compositional bias in sparse sequencing count data. *BMC Genomics* 19, 799 [doi:10.1186/s1286401851605](https://doi.org/10.1186/s1286401851605)

Robinson, M.D., Oshlack, A. (2010) A scaling normalization method for differential expression analysis of RNA-seq data. *Genome Biol* 11, R25 [doi:10.1186/gb2010113r25](https://doi.org/10.1186/gb2010113r25)

See Also

[compute_offset\(\)](#) for details on the different normalization schemes

Examples

```
data(trichoptera)
proper_data <- prepare_data(
  counts      = trichoptera$Abundance,
  covariates  = trichoptera$Covariate,
  offset      = "GMPR",
  scale       = "count"
)
proper_data$Abundance
proper_data$Offset
```

rPLN

PLN RNG

Description

Random generation for the PLN model with latent mean equal to mu, latent covariance matrix equal to Sigma and average depths (sum of counts in a sample) equal to depths

Usage

```
rPLN(
  n = 10,
  mu = rep(0, ncol(Sigma)),
  Sigma = diag(1, 5, 5),
  depths = rep(10000, n)
)
```

Arguments

n	the sample size
mu	vectors of means of the latent variable
Sigma	covariance matrix of the latent variable
depths	Numeric vector of target depths. The first is recycled if there are not n values

Details

The default value for mu and Sigma assume equal abundances and no correlation between the different species.

Value

a $n * p$ count matrix, with row-sums close to depths, with an attribute "offsets" corresponding to the true generated offsets (in log-scale).

Examples

```
## 10 samples of 5 species with equal abundances, no covariance and target depths of 10,000
rPLN()
## 2 samples of 10 highly correlated species with target depths 1,000 and 100,000
## very different abundances
mu <- rep(c(1, -1), each = 5)
Sigma <- matrix(0.8, 10, 10); diag(Sigma) <- 1
rPLN(n=2, mu = mu, Sigma = Sigma, depths = c(1e3, 1e5))
```

scRNA

Single cell RNA-seq data

Description

A dataset containing the counts of the 500 most varying transcripts in the mixtures of 5 cell lines in human liver (obtained with standard 10x scRNAseq Chromium protocol).

Usage

scRNA

Format

A data frame named 'scRNA' with 3918 rows (the cells) and 3 variables:

counts a 500 transcript by 3918 count matrix

cell_line factor, the cell line of the current row (among 5)

total_counts Total number of reads for that cell ...

Source

https://github.com/LuyiTian/sc_mixology/

sigma.PLNfit	<i>Extract variance-covariance of residuals 'Sigma'</i>
--------------	---

Description

Extract the variance-covariance matrix of the residuals, usually noted

$$\Sigma$$

in PLN models. This captures the correlation between the species in the latent space.

Usage

```
## S3 method for class 'PLNfit'
sigma(object, ...)
```

Arguments

object	an R6 object with class PLNfit
...	additional parameters for S3 compatibility. Not used

Value

A semi definite positive matrix of size p, assuming there are p species in the model.

See Also

[coef.PLNfit\(\)](#), [standard_error.PLNfit\(\)](#) and [vcov.PLNfit\(\)](#) for other ways to access

$$\Sigma$$

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPLN <- PLN(Abundance ~ 1 + offset(log(Offset)), data = trichoptera)
sigma(myPLN) ## Sigma
```

sigma.PLNmixturefit *Extract variance-covariance of residuals 'Sigma'*

Description

Extract the variance-covariance matrix of the residuals, usually noted

$$\Sigma$$

in PLN models. This captures the correlation between the species in the latent space. or PLNmixture, it is a weighted mean of the variance-covariance matrices of each component.

Usage

```
## S3 method for class 'PLNmixturefit'
sigma(object, ...)
```

Arguments

object an R6 object with class `PLNmixturefit`
 ... additional parameters for S3 compatibility. Not used

Value

A semi definite positive matrix of size p, assuming there are p species in the model.

See Also

`coef.PLNmixturefit()` for other ways to access

$$\Sigma$$

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPLN <- PLNmixture(Abundance ~ 1 + offset(log(Offset)),
  data = trichoptera, control = PLNmixture_param(smoothing = "none")) %>% getBestModel()
sigma(myPLN) ## Sigma
```

sigma.ZIPLNfit	<i>Extract variance-covariance of residuals 'Sigma'</i>
----------------	---

Description

Extract the variance-covariance matrix of the residuals, usually noted Σ in ZIPLN models.

Usage

```
## S3 method for class 'ZIPLNfit'
sigma(object, ...)
```

Arguments

object	an R6 object with class ZIPLNfit
...	additional parameters for S3 compatibility. Not used

Value

A semi definite positive matrix of size p, assuming there are p species in the model.

See Also

[coef.ZIPLNfit\(\)](#)

stability_selection	<i>Compute the stability path by stability selection</i>
---------------------	--

Description

This function computes the StARS stability criteria over a path of penalties. If a path has already been computed, the functions stops with a message unless `force = TRUE` has been specified.

Usage

```
stability_selection(
  Robject,
  subsamples = NULL,
  control = PLNnetwork_param(),
  force = FALSE
)
```


Arguments

Robjct	an object with class <code>PLNnetworkfamily</code> or <code>ZIPLNnetworkfamily</code> , i.e. an output from <code>PLNnetwork()</code> or <code>ZIPLNnetwork()</code>
subsamples	a list of vectors describing the subsamples. The number of vectors (or list length) determines th number of subsamples used in the stability selection. Automatically set to 20 subsamples with size $10 \cdot \sqrt{n}$ if $n \geq 144$ and $0.8 \cdot n$ otherwise following Liu et al. (2010) recommendations.
control	a list controlling the main optimization process in each call to <code>PLNnetwork()</code> or <code>ZIPLNnetwork()</code> . See <code>PLN_param()</code> or <code>ZIPLN_param()</code> for details.
force	force computation of the stability path, even if a previous one has been detected.

Value

the list of subsamples. The estimated probabilities of selection of the edges are stored in the fields `stability_path` of the initial Robjct with class `Networkfamily`

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
fits <- PLNnetwork(Abundance ~ 1, data = trichoptera)
## Not run:
n <- nrow(trichoptera)
subs <- replicate(10, sample.int(n, size = n/2), simplify = FALSE)
stability_selection(fits, subsamples = subs)

## End(Not run)
```

standard_error.PLNPCAfit

Component-wise standard errors of B

Description

Extracts univariate standard errors for the estimated coefficient of B. Standard errors are computed from the (approximate) Fisher information matrix.

Usage

```
## S3 method for class 'PLNPCAfit'
standard_error(
  object,
  type = c("variational", "jackknife", "sandwich"),
  parameter = c("B", "Omega")
)
```

```

standard_error(
  object,
  type = c("variational", "jackknife", "sandwich"),
  parameter = c("B", "Omega")
)

## S3 method for class 'PLNfit'
standard_error(
  object,
  type = c("variational", "jackknife", "bootstrap", "sandwich"),
  parameter = c("B", "Omega")
)

## S3 method for class 'PLNfit_fixedcov'
standard_error(
  object,
  type = c("variational", "jackknife", "bootstrap", "sandwich"),
  parameter = c("B", "Omega")
)

## S3 method for class 'PLNmixturefit'
standard_error(
  object,
  type = c("variational", "jackknife", "sandwich"),
  parameter = c("B", "Omega")
)

## S3 method for class 'PLNnetworkfit'
standard_error(
  object,
  type = c("variational", "jackknife", "sandwich"),
  parameter = c("B", "Omega")
)

```

Arguments

object	an R6 object with class PLNfit
type	string describing the type of variance approximation: "variational", "jackknife", "sandwich" (only for fixed covariance). Default is "variational".
parameter	string describing the target parameter: either B (regression coefficients) or Omega (inverse residual covariance)

Value

A $p \times d$ positive matrix (same size as B) with standard errors for the coefficients of B

Methods (by class)

- `standard_error(PLNPCAfit)`: Component-wise standard errors of B in `PLNPCAfit` (not im-

plemented yet)

- `standard_error(PLNfit)`: Component-wise standard errors of B in [PLNfit](#)
- `standard_error(PLNfit_fixedcov)`: Component-wise standard errors of B in [PLNfit_fixedcov](#)
- `standard_error(PLNmixturefit)`: Component-wise standard errors of B in [PLNmixturefit](#) (not implemented yet)
- `standard_error(PLNnetworkfit)`: Component-wise standard errors of B in [PLNnetworkfit](#) (not implemented yet)

See Also

[vcov.PLNfit\(\)](#) for the complete variance covariance estimation of the coefficient

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPLN <- PLN(Abundance ~ 1 + offset(log(Offset)), data = trichoptera,
             control = PLN_param(config_post = list(variational_var = TRUE)))
standard_error(myPLN)
```

trichoptera

Trichoptera data set

Description

Data gathered between 1959 and 1960 during 49 insect trapping nights. For each trapping night, the abundance of 17 Trichoptera species is recorded as well as 6 meteorological variables which may influence the abundance of each species. Finally, the observations (that is to say, the trapping nights), have been classified into 12 groups corresponding to contiguous nights between summer 1959 and summer 1960.

Usage

```
trichoptera
```

Format

A list with 2 two data frames:

Abundance a 49 x 17 matrix of abundancies/counts (49 trapping nights and 17 trichoptera species)

Covariate a 49 x 7 data frame of covariates:

Temperature Evening Temperature in Celsius

Wind Wind in m/s

Pressure Pressure in mm Hg

Humidity relative to evening humidity in percent

Cloudiness proportion of sky coverage at 9pm

Precipitation Nighttime precipitation in mm

Group a factor of 12 levels for the definition of the consecutive night groups

In order to prepare the data for using formula in multivariate analysis (multiple outputs and inputs), use `prepare_data()`. We only kept a subset of the original meteorological covariates for illustration purposes.

Source

Data from P. Usseglio-Polatera.

References

Usseglio-Polatera, P. and Auda, Y. (1987) Influence des facteurs météorologiques sur les résultats de piégeage lumineux. *Annales de Limnologie*, 23, 65–79. (code des espèces p. 76) See a data description at <http://pbil.univ-lyon1.fr/R/pdf/pps034.pdf> (in French)

See Also

[prepare_data\(\)](#)

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
```

vcov.PLNfit

Calculate Variance-Covariance Matrix for a fitted [PLN\(\)](#) model object

Description

Returns the variance-covariance matrix of the main parameters of a fitted [PLN\(\)](#) model object. The main parameters of the model correspond to

$$B$$

, as returned by `coef.PLNfit()`. The function can also be used to return the variance-covariance matrix of the residuals. The latter matrix can also be accessed via `sigma.PLNfit()`

Usage

```
## S3 method for class 'PLNfit'
vcov(object, type = c("main", "covariance"), ...)
```

Arguments

object an R6 object with class `PLNfit`

type type of parameter that should be extracted. Either "main" (default) for

B

 or "covariance" for

Σ

... additional parameters for S3 compatibility. Not used

Value

A matrix of variance/covariance extracted from the PLNfit model. If `type="main"` and B is a matrix of size $d * p$, the result is a block-diagonal matrix with p (number of species) blocks of size d (number of covariates). if `type="main"`, it is a symmetric matrix of size p .

See Also

`sigma.PLNfit()`, `coef.PLNfit()`, `standard_error.PLNfit()`

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPLN <- PLN(Abundance ~ 1 + offset(log(Offset)), data = trichoptera)
vcov(myPLN, type = "covariance") ## Sigma
```

 ZIPLN

Zero Inflated Poisson lognormal model

Description

Fit the multivariate Zero Inflated Poisson lognormal model with a variational algorithm. Use the (g)lm syntax for model specification (covariates, offsets, subset).

Usage

```
ZIPLN(
  formula,
  data,
  subset,
  zi = c("single", "row", "col"),
  control = ZIPLN_param()
)
```

Arguments

formula	an object of class "formula": a symbolic description of the model to be fitted.
data	an optional data frame, list or environment (or object coercible by <code>as.data.frame</code> to a data frame) containing the variables in the model. If not found in data, the variables are taken from <code>environment(formula)</code> , typically the environment from which <code>PLN</code> is called.
subset	an optional vector specifying a subset of observations to be used in the fitting process.
zi	a character describing the model used for zero inflation, either of <ul style="list-style-type: none"> • "single" (default, one parameter shared by all counts) • "col" (one parameter per variable / feature) • "row" (one parameter per sample / individual). If covariates are specified in the formula RHS (see details) this parameter is ignored.
control	a list-like structure for controlling the optimization, with default generated by <code>ZIPLN_param()</code> . See the associated documentation for details.

Details

Covariates for the Zero-Inflation parameter (using a logistic regression model) can be specified in the formula RHS using the pipe (`~ PLN effect | ZI effect`) to separate covariates for the PLN part of the model from those for the Zero-Inflation part. Note that different covariates can be used for each part.

Value

an R6 object with class `ZIPLNfit`

See Also

The class `ZIPLNfit`

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
## Use different models for zero-inflation...
myZIPLN_single <- ZIPLN(Abundance ~ 1, data = trichoptera, zi = "single")
## Not run:
myZIPLN_row <- ZIPLN(Abundance ~ 1, data = trichoptera, zi = "row")
myZIPLN_col <- ZIPLN(Abundance ~ 1, data = trichoptera, zi = "col")
## ...including logistic regression on covariates
myZIPLN_covar <- ZIPLN(Abundance ~ 1 | 1 + Wind, data = trichoptera)

## End(Not run)
```

 ZIPLNfit

An R6 Class to represent a ZIPLNfit

Description

The function `ZIPLN()` fits a model which is an instance of an object with class `ZIPLNfit`.

This class comes with a set of R6 methods, some of which are useful for the end-user and exported as S3 methods. See the documentation for `coef()`, `sigma()`, `predict()`.

Fields are accessed via active binding and cannot be changed by the user.

Details

Covariates for the Zero-Inflation parameter (using a logistic regression model) can be specified in the formula RHS using the pipe (`~ PLN effect | ZI effect`) to separate covariates for the PLN part of the model from those for the Zero-Inflation part. Note that different covariates can be used for each part.

Active bindings

`n` number of samples/sites

`q` number of dimensions of the latent space

`p` number of variables/species

`d` number of covariates in the PLN part

`d0` number of covariates in the ZI part

`nb_param_zi` number of parameters in the ZI part of the model

`nb_param_pln` number of parameters in the PLN part of the model

`nb_param` number of parameters in the ZIPLN model

`model_par` a list with the matrices of parameters found in the model (B, Sigma, plus some others depending on the variant)

`var_par` a list with two matrices, M and S2, which are the estimated parameters in the variational approximation

`optim_par` a list with parameters useful for monitoring the optimization

`latent` a matrix: values of the latent vector (Z in the model)

`latent_pos` a matrix: values of the latent position vector (Z) without covariates effects or offset

`fitted` a matrix: fitted values of the observations (A in the model)

`vcov_model` character: the model used for the covariance (either "spherical", "diagonal", "full" or "sparse")

`zi_model` character: the model used for the zero inflation (either "single", "row", "col" or "covar")

`loglik` (weighted) variational lower bound of the loglikelihood

`loglik_vec` element-wise variational lower bound of the loglikelihood

`BIC` variational lower bound of the BIC

entropy Entropy of the variational distribution
entropy_ZI Entropy of the variational distribution
entropy_PLN Entropy of the Gaussian variational distribution in the PLN component
ICL variational lower bound of the ICL
criteria a vector with loglik, BIC, ICL and number of parameters

Methods

Public methods:

- [ZIPLNfit\\$update\(\)](#)
- [ZIPLNfit\\$new\(\)](#)
- [ZIPLNfit\\$optimize\(\)](#)
- [ZIPLNfit\\$optimize_vestep\(\)](#)
- [ZIPLNfit\\$predict\(\)](#)
- [ZIPLNfit\\$show\(\)](#)
- [ZIPLNfit\\$print\(\)](#)
- [ZIPLNfit\\$clone\(\)](#)

Method `update()`: Update a [ZIPLNfit](#) object

Usage:

```
ZIPLNfit$update(  
  B = NA,  
  B0 = NA,  
  Pi = NA,  
  Omega = NA,  
  Sigma = NA,  
  M = NA,  
  S = NA,  
  R = NA,  
  Ji = NA,  
  Z = NA,  
  A = NA,  
  monitoring = NA  
)
```

Arguments:

B matrix of regression parameters in the Poisson lognormal component
B0 matrix of regression parameters in the zero inflated component
Pi Zero inflated probability parameter (either scalar, row-vector, col-vector or matrix)
Omega precision matrix of the latent variables
Sigma covariance matrix of the latent variables
M matrix of mean vectors for the variational approximation
S matrix of standard deviation parameters for the variational approximation
R matrix of probabilities for the variational approximation
Ji vector of variational lower bounds of the log-likelihoods (one value per sample)

Z matrix of latent vectors (includes covariates and offset effects)

A matrix of fitted values

monitoring a list with optimization monitoring quantities

Returns: Update the current ZIPLNfit object

Method new(): Initialize a ZIPLNfit model

Usage:

```
ZIPLNfit$new(data, control)
```

Arguments:

data a named list used internally to carry the data matrices

control a list for controlling the optimization. See details.

Method optimize(): Call to the Cpp optimizer and update of the relevant fields

Usage:

```
ZIPLNfit$optimize(data, control)
```

Arguments:

data a named list used internally to carry the data matrices

control a list for controlling the optimization. See details.

Method optimize_vestep(): Result of one call to the VE step of the optimization procedure: optimal variational parameters (M, S, R) and corresponding log likelihood values for fixed model parameters (Sigma, B, B0). Intended to position new data in the latent space.

Usage:

```
ZIPLNfit$optimize_vestep(
  data,
  B = self$model_par$B,
  B0 = self$model_par$B0,
  Omega = self$model_par$Omega,
  control = ZIPLN_param(backend = "nlopt")$config_optim
)
```

Arguments:

data a named list used internally to carry the data matrices

B Optional fixed value of the regression parameters in the PLN component

B0 Optional fixed value of the regression parameters in the ZI component

Omega inverse variance-covariance matrix of the latent variables

control a list for controlling the optimization. See details.

Returns: A list with three components:

- the matrix M of variational means,
- the matrix S of variational standard deviations
- the matrix R of variational ZI probabilities
- the vector Ji of (variational) log-likelihood of each new observation
- a list monitoring with information about convergence status

Method `predict()`: Predict position, scores or observations of new data. See [predict.ZIPLNfit\(\)](#) for the S3 method and additional details

Usage:

```
ZIPLNfit$predict(
  newdata,
  responses = NULL,
  type = c("link", "response", "deflated"),
  level = 1,
  envir = parent.frame()
)
```

Arguments:

`newdata` A data frame in which to look for variables with which to predict. If omitted, the fitted values are used.

`responses` Optional data frame containing the count of the observed variables (matching the names of the provided as data in the PLN function), assuming the interest in in testing the model.

`type` Scale used for the prediction. Either "link" (default, predicted positions in the latent space), "response" (predicted average counts, accounting for zero-inflation) or "deflated" (predicted average counts, not accounting for zero-inflation and using only the PLN part of the model).

`level` Optional integer value the level to be used in obtaining the predictions. Level zero corresponds to the population predictions (default if responses is not provided) while level one (default) corresponds to predictions after evaluating the variational parameters for the new data.

`envir` Environment in which the prediction is evaluated

Returns: A matrix with predictions scores or counts.

Method `show()`: User friendly print method

Usage:

```
ZIPLNfit$show(
  model = paste("A multivariate Zero Inflated Poisson Lognormal fit with",
    private$covariance, "covariance model.\n")
)
```

Arguments:

`model` First line of the print output

Method `print()`: User friendly print method

Usage:

```
ZIPLNfit$print()
```

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
ZIPLNfit$clone(deep = FALSE)
```

Arguments:

`deep` Whether to make a deep clone.

Examples

```
## Not run:
# See other examples in function ZIPLN
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPLN <- ZIPLN(Abundance ~ 1, data = trichoptera)
class(myPLN)
print(myPLN)

## End(Not run)
```

ZIPLNfit_diagonal	<i>An R6 Class to represent a ZIPLNfit in a standard, general framework, with diagonal residual covariance</i>
-------------------	--

Description

An R6 Class to represent a ZIPLNfit in a standard, general framework, with diagonal residual covariance

An R6 Class to represent a ZIPLNfit in a standard, general framework, with diagonal residual covariance

Super class

```
PLNmodels::ZIPLNfit -> ZIPLNfit_diagonal
```

Active bindings

`nb_param_pln` number of parameters in the PLN part of the current model
`vcov_model` character: the model used for the residual covariance

Methods**Public methods:**

- `ZIPLNfit_diagonal$new()`
- `ZIPLNfit_diagonal$clone()`

Method `new()`: Initialize a `ZIPLNfit_diagonal` model

Usage:

```
ZIPLNfit_diagonal$new(data, control)
```

Arguments:

`data` a named list used internally to carry the data matrices
`control` a list for controlling the optimization. See details.

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
ZIPLNfit_diagonal$clone(deep = FALSE)
```

Arguments:

deep Whether to make a deep clone.

Examples

```
## Not run:
# See other examples in function ZIPLN
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPLN <- ZIPLN(Abundance ~ 1, data = trichoptera, control = ZIPLN_param(covariance = "diagonal"))
class(myPLN)
print(myPLN)

## End(Not run)
```

ZIPLNfit_fixed	<i>An R6 Class to represent a ZIPLNfit in a standard, general framework, with fixed (inverse) residual covariance</i>
----------------	---

Description

An R6 Class to represent a ZIPLNfit in a standard, general framework, with fixed (inverse) residual covariance

An R6 Class to represent a ZIPLNfit in a standard, general framework, with fixed (inverse) residual covariance

Super class

```
PLNmodels::ZIPLNfit -> ZIPLNfit_fixed
```

Active bindings

nb_param_pln number of parameters in the PLN part of the current model

vcov_model character: the model used for the residual covariance

Methods**Public methods:**

- `ZIPLNfit_fixed$new()`
- `ZIPLNfit_fixed$clone()`

Method `new()`: Initialize a `ZIPLNfit_fixed` model

Usage:

```
ZIPLNfit_fixed$new(data, control)
```

Arguments:

`data` a named list used internally to carry the data matrices
`control` a list for controlling the optimization. See details.

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
ZIPLNfit_fixed$clone(deep = FALSE)
```

Arguments:

`deep` Whether to make a deep clone.

Examples

```
## Not run:
# See other examples in function ZIPLN
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPLN <- ZIPLN(Abundance ~ 1, data = trichoptera,
  control = ZIPLN_param(Omega = diag(ncol(trichoptera$Abundance))))
class(myPLN)
print(myPLN)

## End(Not run)
```

 ZIPLNfit_sparse

An R6 Class to represent a ZIPLNfit in a standard, general framework, with sparse inverse residual covariance

Description

An R6 Class to represent a ZIPLNfit in a standard, general framework, with sparse inverse residual covariance

An R6 Class to represent a ZIPLNfit in a standard, general framework, with sparse inverse residual covariance

Super class

`PLNmodels::ZIPLNfit` -> ZIPLNfit_sparse

Active bindings

`penalty` the global level of sparsity in the current model

`penalty_weights` a matrix of weights controlling the amount of penalty element-wise.

`n_edges` number of edges in the network (non null coefficient of the sparse precision matrix)

`nb_param_pln` number of parameters in the PLN part of the current model

`vcov_model` character: the model used for the residual covariance

pen_loglik variational lower bound of the l1-penalized loglikelihood

EBIC variational lower bound of the EBIC

density proportion of non-null edges in the network

criteria a vector with loglik, penalized loglik, BIC, EBIC, ICL, R_squared, number of parameters, number of edges and graph density

Methods

Public methods:

- `ZIPLNfit_sparse$new()`
- `ZIPLNfit_sparse$latent_network()`
- `ZIPLNfit_sparse$plot_network()`
- `ZIPLNfit_sparse$clone()`

Method `new()`: Initialize a `ZIPLNfit_fixed` model

Usage:

```
ZIPLNfit_sparse$new(data, control)
```

Arguments:

`data` a named list used internally to carry the data matrices

`control` a list for controlling the optimization. See details.

Method `latent_network()`: Extract interaction network in the latent space

Usage:

```
ZIPLNfit_sparse$latent_network(type = c("partial_cor", "support", "precision"))
```

Arguments:

`type` edge value in the network. Can be "support" (binary edges), "precision" (coefficient of the precision matrix) or "partial_cor" (partial correlation between species)

Returns: a square matrix of size `ZIPLNfit_sparse$n`

Method `plot_network()`: plot the latent network.

Usage:

```
ZIPLNfit_sparse$plot_network(
  type = c("partial_cor", "support"),
  output = c("igraph", "corrplot"),
  edge.color = c("#F8766D", "#00BFC4"),
  remove.isolated = FALSE,
  node.labels = NULL,
  layout = layout_in_circle,
  plot = TRUE
)
```

Arguments:

`type` edge value in the network. Either "precision" (coefficient of the precision matrix) or "partial_cor" (partial correlation between species).

`output` Output type. Either `igraph` (for the network) or `corrplot` (for the adjacency matrix)

`edge.color` Length 2 color vector. Color for positive/negative edges. Default is `c("#F8766D", "#00BFC4")`. Only relevant for igraph output.

`remove.isolated` if TRUE, isolated node are remove before plotting. Only relevant for igraph output.

`node.labels` vector of character. The labels of the nodes. The default will use the column names of the response matrix.

`layout` an optional igraph layout. Only relevant for igraph output.

`plot` logical. Should the final network be displayed or only sent back to the user. Default is TRUE.

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
ZIPLNfit_sparse$clone(deep = FALSE)
```

Arguments:

`deep` Whether to make a deep clone.

Examples

```
## Not run:
# See other examples in function ZIPLN
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPLN <- ZIPLN(Abundance ~ 1, data = trichoptera, control= ZIPLN_param(penalty = 1))
class(myPLN)
print(myPLN)
plot(myPLN)

## End(Not run)
```

ZIPLNfit_spherical	<i>An R6 Class to represent a ZIPLNfit in a standard, general framework, with spherical residual covariance</i>
--------------------	---

Description

An R6 Class to represent a ZIPLNfit in a standard, general framework, with spherical residual covariance

An R6 Class to represent a ZIPLNfit in a standard, general framework, with spherical residual covariance

Super class

```
PLNmodels::ZIPLNfit -> ZIPLNfit_spherical
```

Active bindings

`nb_param_pln` number of parameters in the PLN part of the current model

`vcov_model` character: the model used for the residual covariance

Methods

Public methods:

- `ZIPLNfit_spherical$new()`
- `ZIPLNfit_spherical$clone()`

Method `new()`: Initialize a `ZIPLNfit_spherical` model

Usage:

```
ZIPLNfit_spherical$new(data, control)
```

Arguments:

`data` a named list used internally to carry the data matrices

`control` a list for controlling the optimization. See details.

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
ZIPLNfit_spherical$clone(deep = FALSE)
```

Arguments:

`deep` Whether to make a deep clone.

Examples

```
## Not run:
# See other examples in function ZIPLN
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myPLN <- ZIPLN(Abundance ~ 1, data = trichoptera, control = ZIPLN_param(covariance = "spherical"))
class(myPLN)
print(myPLN)

## End(Not run)
```

Description

Perform sparse inverse covariance estimation for the Zero Inflated Poisson lognormal model using a variational algorithm. Iterate over a range of logarithmically spaced sparsity parameter values. Use the `(g)lm` syntax to specify the model (including covariates and offsets).

Usage

```
ZIPLNnetwork(
  formula,
  data,
  subset,
  weights,
  zi = c("single", "row", "col"),
  penalties = NULL,
  control = ZIPLNnetwork_param()
)
```

Arguments

<code>formula</code>	an object of class "formula": a symbolic description of the model to be fitted.
<code>data</code>	an optional data frame, list or environment (or object coercible by <code>as.data.frame</code> to a data frame) containing the variables in the model. If not found in data, the variables are taken from <code>environment(formula)</code> , typically the environment from which <code>lm</code> is called.
<code>subset</code>	an optional vector specifying a subset of observations to be used in the fitting process.
<code>weights</code>	an optional vector of observation weights to be used in the fitting process.
<code>zi</code>	a character describing the model used for zero inflation, either of <ul style="list-style-type: none"> • "single" (default, one parameter shared by all counts) • "col" (one parameter per variable / feature) • "row" (one parameter per sample / individual). If covariates are specified in the formula RHS (see details) this parameter is ignored.
<code>penalties</code>	an optional vector of positive real number controlling the level of sparsity of the underlying network. if NULL (the default), will be set internally. See <code>PLNnetwork_param()</code> for additional tuning of the penalty.
<code>control</code>	a list-like structure for controlling the optimization, with default generated by <code>ZIPLNnetwork_param()</code> . See the associated documentation for details.

Details

Covariates for the Zero-Inflation parameter (using a logistic regression model) can be specified in the formula RHS using the pipe (`~ PLN effect | ZI effect`) to separate covariates for the PLN part of the model from those for the Zero-Inflation part. Note that different covariates can be used for each part.

Value

an R6 object with class `ZIPLNnetworkfamily`

See Also

The classes `ZIPLNfit` and `ZIPLNnetworkfamily`

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
myZIPLNs <- ZIPLNnetwork(Abundance ~ 1, data = trichoptera, zi = "single")
```

ZIPLNnetworkfamily *An R6 Class to represent a collection of ZIPLNnetwork*

Description

The function `ZIPLNnetwork()` produces an instance of this class.

This class comes with a set of methods, some of them being useful for the user: See the documentation for `getBestModel()`, `getModel()` and `plot()`

Super classes

`PLNmodels::PLNfamily -> PLNmodels::Networkfamily -> ZIPLNnetworkfamily`

Public fields

`covariates0` the matrix of covariates included in the ZI component

Methods**Public methods:**

- `ZIPLNnetworkfamily$new()`
- `ZIPLNnetworkfamily$stability_selection()`
- `ZIPLNnetworkfamily$clone()`

Method `new()`: Initialize all models in the collection

Usage:

```
ZIPLNnetworkfamily$new(penalties, data, control)
```

Arguments:

`penalties` a vector of positive real number controlling the level of sparsity of the underlying network.

`data` a named list used internally to carry the data matrices

`control` a list for controlling the optimization.

Returns: Update current `PLNnetworkfit` with smart starting values

Method `stability_selection()`: Compute the stability path by stability selection

Usage:

```
ZIPLNnetworkfamily$stability_selection(
  subsamples = NULL,
  control = ZIPLNnetwork_param()
)
```

Arguments:

`subsamples` a list of vectors describing the subsamples. The number of vectors (or list length) determines the number of subsamples used in the stability selection. Automatically set to 20 subsamples with size $10 \cdot \sqrt{n}$ if $n \geq 144$ and $0.8 \cdot n$ otherwise following Liu et al. (2010) recommendations.

`control` a list controlling the main optimization process in each call to `PLNnetwork()`. See `ZIPLNnetwork()` and `ZIPLN_param()` for details.

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
ZIPLNnetworkfamily$clone(deep = FALSE)
```

Arguments:

`deep` Whether to make a deep clone.

See Also

The function `ZIPLNnetwork()`, the class `ZIPLNfit_sparse`

Examples

```
data(trichoptera)
trichoptera <- prepare_data(trichoptera$Abundance, trichoptera$Covariate)
fits <- PLNnetwork(Abundance ~ 1, data = trichoptera)
class(fits)
```

ZIPLNnetwork_param *Control of ZIPLNnetwork fit*

Description

Helper to define list of parameters to control the ZIPLNnetwork fit. All arguments have defaults.

Usage

```
ZIPLNnetwork_param(
  backend = c("nlopt"),
  inception_cov = c("full", "spherical", "diagonal"),
  trace = 1,
  n_penalties = 30,
  min_ratio = 0.1,
  penalize_diagonal = TRUE,
  penalty_weights = NULL,
  config_post = list(),
  config_optim = list(),
  inception = NULL
)
```

Arguments

backend	optimization back used, either "nlopt" or "torch". Default is "nlopt"
inception_cov	Covariance structure used for the inception model used to initialize the PLN-family. Defaults to "full" and can be constrained to "diagonal" and "spherical".
trace	a integer for verbosity.
n_penalties	an integer that specifies the number of values for the penalty grid when internally generated. Ignored when penalties is non NULL
min_ratio	the penalty grid ranges from the minimal value that produces a sparse to this value multiplied by min_ratio. Default is 0.1.
penalize_diagonal	boolean: should the diagonal terms be penalized in the graphical-Lasso? Default is TRUE
penalty_weights	either a single or a list of p x p matrix of weights (default: all weights equal to 1) to adapt the amount of shrinkage to each pairs of node. Must be symmetric with positive values.
config_post	a list for controlling the post-treatment (optional bootstrap, jackknife, R2, etc).
config_optim	a list for controlling the optimizer (either "nlopt" or "torch" backend). See details
inception	Set up the parameters initialization: by default, the model is initialized with a multivariate linear model applied on log-transformed data, and with the same formula as the one provided by the user. However, the user can provide a PLNfit (typically obtained from a previous fit), which sometimes speeds up the inference.

Details

See [PLNnetwork_param\(\)](#) for a full description of the optimization parameters. Note that some defaults values are different than those used in [PLNnetwork_param\(\)](#):

- "ftol_out" (outer loop convergence tolerance the objective function) is set by default to 1e-6
- "maxit_out" (max number of iterations for the outer loop) is set by default to 100

Value

list of parameters configuring the fit.

See Also

[PLNnetwork_param\(\)](#) and [PLN_param\(\)](#)

 ZIPLN_param *Control of a ZIPLN fit*

Description

Helper to define list of parameters to control the PLN fit. All arguments have defaults.

Usage

```
ZIPLN_param(
  backend = c("nlopt"),
  trace = 1,
  covariance = c("full", "diagonal", "spherical", "fixed", "sparse"),
  Omega = NULL,
  penalty = 0,
  penalize_diagonal = TRUE,
  penalty_weights = NULL,
  config_post = list(),
  config_optim = list(),
  inception = NULL
)
```

Arguments

backend	optimization back used, either "nlopt" or "torch". Default is "nlopt"
trace	a integer for verbosity.
covariance	character setting the model for the covariance matrix. Either "full", "diagonal", "spherical" or "fixed". Default is "full".
Omega	precision matrix of the latent variables. Inverse of Sigma. Must be specified if covariance is "fixed"
penalty	a user-defined penalty to sparsify the residual covariance. Defaults to 0 (no sparsity).
penalize_diagonal	boolean: should the diagonal terms be penalized in the graphical-Lasso? Default is TRUE
penalty_weights	either a single or a list of $p \times p$ matrix of weights (default: all weights equal to 1) to adapt the amount of shrinkage to each pairs of node. Must be symmetric with positive values.
config_post	a list for controlling the post-treatments (optional bootstrap, jackknife, R2, etc.). See details
config_optim	a list for controlling the optimizer (either "nlopt" or "torch" backend). See details

`inception` Set up the parameters initialization: by default, the model is initialized with a multivariate linear model applied on log-transformed data, and with the same formula as the one provided by the user. However, the user can provide a `PLNfit` (typically obtained from a previous fit), which sometimes speeds up the inference.

Details

See `PLN_param()` and `PLNnetwork_param()` for a full description of the generic optimization parameters. Like `PLNnetwork_param()`, `ZIPLN_param()` has two parameters controlling the optimization due the inner-outer loop structure of the optimizer:

- `"ftol_out"` outer solver stops when an optimization step changes the objective function by less than `ftol_out` multiplied by the absolute value of the parameter. Default is `1e-6`
- `"maxit_out"` outer solver stops when the number of iteration exceeds `maxit_out`. Default is `100` and one additional parameter controlling the form of the variational approximation of the zero inflation:
- `"approx_ZI"` either uses an exact or approximated conditional distribution for the zero inflation. Default is `FALSE`

Value

list of parameters used during the fit and post-processing steps

Index

- * **datasets**
 - barents, 4
 - mollusk, 16
 - oaks, 20
 - scrNA, 93
 - trichoptera, 99
- barents, 4
- coef(), 24, 103
- coef.PLNfit, 4
- coef.PLNfit(), 94, 100, 101
- coef.PLNLDAfit, 5
- coef.PLNmixturefit, 6
- coef.PLNmixturefit(), 95
- coef.ZIPLNfit, 7
- coef.ZIPLNfit(), 96
- coefficient_path, 8
- compute_offset, 8
- compute_offset(), 91, 92
- compute_PLN_starting_point, 10
- extract_probs, 11
- factoextra::fviz(), 62
- fitted.PLNfit, 12
- fitted.PLNmixturefit, 13
- fitted.ZIPLNfit, 13
- getBestModel
 - (getBestModel.PLNPCAfamily), 14
- getBestModel(), 17, 46, 55, 61, 114
- getBestModel.PLNPCAfamily, 14
- getModel(getModel.PLNPCAfamily), 15
- getModel(), 17, 24, 46, 55, 61, 114
- getModel.PLNPCAfamily, 15
- ggplot, 19, 39, 40, 48, 51, 68, 69, 80, 83
- ggplot2, 23, 48, 63, 78
- grob, 40, 69
- mollusk, 16
- Networkfamily, 8, 17, 18, 19, 97
- oaks, 20
- PLN, 21
- PLN(), 4, 6, 11, 12, 24, 41, 67, 86, 91, 100
- PLN_param, 72
- PLN_param(), 21, 25, 27, 36, 53, 54, 56, 60, 97, 116, 118
- PLNfamily, 22, 22, 23, 65–67, 76
- PLNfit, 5, 12, 21–24, 24, 25, 26, 30–32, 35, 42, 56, 64, 85, 89, 90, 94, 99, 101
- PLNfit(), 24, 29, 37, 41
- PLNfit_diagonal, 29
- PLNfit_fixedcov, 32, 99
- PLNfit_spherical, 34
- PLNLDA, 35, 41
- PLNLDA(), 5, 24, 29, 37, 41
- PLNLDA_param, 43
- PLNLDAfit, 29, 37, 37, 38–41, 68, 86
- PLNLDAfit(), 36
- PLNLDAfit_diagonal, 41
- PLNLDAfit_spherical (PLNfit_diagonal), 29
- PLNmixture, 45, 48, 49, 52
- PLNmixture(), 13, 24, 46
- PLNmixture_param, 53
- PLNmixture_param(), 45, 46, 51, 87
- PLNmixturefamily, 15, 16, 46, 46, 52, 79
- PLNmixturefit, 6, 13, 46, 48, 49, 50, 79, 80, 87, 95, 99
- PLNmodels::Networkfamily, 55, 114
- PLNmodels::PLNfamily, 17, 46, 55, 61, 114
- PLNmodels::PLNfit, 30, 32, 34, 37, 42, 56, 64
- PLNmodels::PLNfit_fixedcov, 56
- PLNmodels::PLNLDAfit, 30, 42
- PLNmodels::ZIPLNfit, 107–109, 111
- PLNnetwork, 54
- PLNnetwork(), 8, 11, 17, 20, 24, 55, 56, 58, 97, 115

- PLNnetwork_param, 59
- PLNnetwork_param(), 54, 55, 116, 118
- PLNnetworkfamily, 11, 15, 16, 22, 55, 55, 58, 74, 75, 97
- PLNnetworkfit, 14, 16, 17, 20, 55, 56, 56, 57, 80, 81, 99, 114
- PLNPCA, 60, 69
- PLNPCA(), 24, 61, 63, 64
- PLNPCA_param, 70
- PLNPCA_param(), 61
- PLNPCAfamily, 14–16, 22, 61, 61, 69, 82
- PLNPCAfit, 14, 16, 61, 63, 64, 64, 65, 66, 69, 77, 82, 98
- PLNPCAfit(), 63
- plot(), 17, 29, 37, 41, 46, 55, 56, 61, 64, 114
- plot.Networkfamily, 74
- plot.PLNfamily, 76
- plot.PLNLDAfit, 77
- plot.PLNmixturefamily, 78
- plot.PLNmixturefit, 79
- plot.PLNnetworkfamily (plot.Networkfamily), 74
- plot.PLNnetworkfamily(), 77
- plot.PLNnetworkfit, 80
- plot.PLNPCAfamily, 81
- plot.PLNPCAfamily(), 77
- plot.PLNPCAfit, 82
- plot.ZIPLNfit_sparse, 84
- plot.ZIPLNnetworkfamily (plot.Networkfamily), 74
- predict(), 24, 29, 37, 41, 103
- predict.PLNfit, 85
- predict.PLNLDAfit, 86
- predict.PLNmixturefit, 87
- predict.ZIPLNfit, 88
- predict.ZIPLNfit(), 106
- predict_cond, 89
- prepare_data, 90
- prepare_data(), 16, 17, 21, 100

- rPLN, 92

- scRNA, 93
- sigma(), 24, 103
- sigma.PLNfit, 94
- sigma.PLNfit(), 5, 100, 101
- sigma.PLNmixturefit, 95
- sigma.PLNmixturefit(), 6
- sigma.ZIPLNfit, 96
- sigma.ZIPLNfit(), 7
- stability_selection, 96
- stability_selection(), 11, 14
- standard_error (standard_error.PLNPCAfit), 97
- standard_error(), 24
- standard_error.PLNfit(), 5, 94, 101
- standard_error.PLNPCAfit, 97

- trichoptera, 99

- vcov(), 24
- vcov.PLNfit, 100
- vcov.PLNfit(), 5, 94, 99

- ZIPLN, 101
- ZIPLN(), 7, 13, 103
- ZIPLN_param, 117
- ZIPLN_param(), 97, 102, 115
- ZIPLNfit, 7, 13, 88, 96, 102, 103, 103, 104, 105, 113
- ZIPLNfit_diagonal, 107, 107
- ZIPLNfit_fixed, 108, 108, 110
- ZIPLNfit_sparse, 17, 20, 84, 109, 115
- ZIPLNfit_spherical, 111, 112
- ZIPLNnetwork, 112
- ZIPLNnetwork(), 17, 20, 97, 114, 115
- ZIPLNnetwork_param, 115
- ZIPLNnetwork_param(), 113
- ZIPLNnetworkfamily, 15, 16, 74, 75, 97, 113, 114